

# GenerLink Compatible Generator Guide

Below is a list of generators that have been researched to date for compatibility with the GenerLink transfer switch. The list is in alphabetical order by manufacture name and model number of the generator. To determine if a generator is compatible please refer to the fifth column from the left titled "**Compatible**". Yes indicates the generator is compatible with the GenerLink systems and No indicates the generator is not compatible for use with the GenerLink system.

If you are interested in a generator that is not on the list, please forward the manufacture name and model number to [info@globalpowerproducts.com](mailto:info@globalpowerproducts.com) and we will research it for compatibility.

Manufacturer	Model Number	Wattage	Plug Type	Compatible	Notes
A-iPower	SUA12000E	9000	14-50	Yes	Floating Neutral
A-iPower	10000EC	10000	14-50	Yes	Bonded Neutral
AC Delco	AC-G0002	3,000	L14-30	No	Unit is too small to get the GenerLink to transfer
AC Delco	AC-G0003	5,000	L14-30	Yes	Bonded Neutral
AC Delco	AC-G0005	6,000	L14-30	Yes	Bonded Neutral
All Power America	APG3001	3,500	L14-30	No	Unit is too small to get the GenerLink to transfer
All Power America	APG3002	2,800	L14-30	No	Unit is too small to get the GenerLink to transfer
All Power America	APG3005	6,500	L14-30	Yes	Floating Neutral
All Power America	APG3009	5,000	L14-30	Yes	Floating Neutral
All Power America	APG3014	2,000	L14-30	No	No 120/240V outlet
All Power America	APG3075	6,000	L14-30	Yes	Floating Neutral
All Power America	APG3090	7,500	L14-30	Yes	Floating Neutral
All Power America	APG3303E	7,500	L14-30	Yes	Floating Neutral
All Power America	APG3304	7,500	L14-30	Yes	Floating Neutral
All Power America	APG3535	2,800	L14-30	No	Unit is too small to get the GenerLink to transfer
All Power America	APG3560 CSA	5,000	L14-30	Yes	Bonded Neutral
All Power America	APGG4000	3,300	L-5-30	No	Unit is too small-No 120/240 outlet
All Power America	APG590CN	10,000	L14-30	Yes	Bonded Neutral
All Power America	APGG10000	8,000	L14-30	Yes	Bonded Neutral
All Power America	APGG10000C	10,000	L14-30	Yes	Bonded Neutral
All-Power America	APGG7500	7,500	L14-30	Yes	Bonded Neutral
Amico	AH6000LE	6,000	L14-20	Yes	Floating Neutral
Apache	AGG8800E	8,800	L14-30	Yes	Bonded Neutral
Ariens	986054	5,000	L14-20	Yes	Bonded Neutral
Ariens	986055	7,500	L14-30	Yes	Bonded Neutral
Alton	AT04105D	3,500	L14-30	No	Unit is too small to get the GenerLink to transfer
Aurora	AGI6500DE	6,500	L14-30	Yes	Bonded Neutral
Aurora	AGI6500SDE	6,500	L14-30	Yes	Bonded Neutral
Aurora	AGI6800DE	6,500	K14-30	Yes	Bonded Neutral
Baldor	DG3E	3,000	L14-30	No	Unit is too small to get the GenerLink to transfer
Baldor	DG6E	5,500	L14-30	Yes	Bonded Neutral
Baldor	OHV90E	8,000	L14-30	Yes	Floating Neutral
Baumalight	QC12	12,000		No	Unit is too large
Baumalight	QC19	19,000		No	Unit is too large
Baumalight	QC30	30,000		No	Unit is too large
Baumalight	QC45	45,000		No	Unit is too large
Baumalight	QC55	55,000		No	Unit is too large
Baumalight	QC65	65,000		No	Unit is too large
Baumalight	TX12	12,000		No	Unit is too large
Baumalight	TX18	18,000		No	Unit is too large
Baumalight	TX25	25,000		No	Unit is too large
Baumalight	TX31	31,000		No	Unit is too large
Baumalight	TX7	7,000	14-50	Yes	Bonded Neutral
BE Pressure Supply	BE-6500ER	6,500	L14-30	Yes	Floating Neutral
BE Pressure Supply	BE-9000	9,000	L14-30	Yes	Floating Neutral
BE Pressure Supply	BE-9000E	9,000	L14-30	Yes	Floating Neutral
BE Pressure Supply	BE-9000ER	7,100	L14-30	Yes	Floating Neutral
BE Pressure Supply	VI-6500	6,500	L14-30	Yes	Floating Neutral
BE Pressure Supply	VI-9000	7,500	L14-30	Yes	Floating Neutral
Black Max	8125	6,500	L14-30	Yes	Honda Engine GX 390
Black Max	BM10300	3,000	TT-30	No	Bonded Neutral
Black Max	BM10500	5,000	L14-20	Yes	Bonded Neutral
Black Max	BM10680	6,800	L14-30	Yes	Bonded Neutral
Black Max	BM10700	7,000	L14-30	Yes	Floating Neutral
Black Max	BM10711	7,000	L14-30	Yes	Floating Neutral
Black Max	BM10722	7,000	L14-30	Yes	Floating Neutral
Black Max	BM905500	5,500	L14-30	Yes	Bonded Neutral
Black Max	BM907000	7,000	L14-30	Yes	Bonded Neutral
Black Max	BM907015	7,000	L14-30	Yes	Bonded Neutral
Black Max	BM903655	3,650		No	No 120/240V - 4-Blade Outlet
Black Max	PM0435252	5,250	L14-20	Yes	Floating Neutral
Black Max	PM0496500	6,500	L14-30	Yes	Floating Neutral
Black Max	PM0496500.02	6,500	L14-30	Yes	Floating Neutral
Black Max	PM0435255	5,200	L14-20	Yes	Floating Neutral
Black Max	PM0496750	6,750	L14-30	Yes	Floating Neutral

Black Max	PM0497002	7,000	L14-30	Yes	Floating Neutral
Blue Max	6800	8,000	L14-30	Yes	Bonded Neutral
Blue Max	6836	8,000	L14-30	Yes	Bonded Neutral
Blue Max	JD1250	800	Duplex	No	No 120/240V - 4-Blade Outlet
Blue Max	JD4000	3,000	Duplex	No	No 120/240V - 4-Blade Outlet
Blue Max	JD8000	6,000	Duplex	No	No 120/240V - 4-Blade Outlet
Blue Max	JD8000E	6,000	Duplex	No	No 120/240V - 4-Blade Outlet
Briggs & Stratton	1655-2	5,500	L14-30	Yes	Bonded Neutral
Briggs & Stratton	1654	5,500	L14-30	Yes	Bonded Neutral
Briggs & Stratton	1893	6,000	L14-30	Yes	Bonded Neutral
Briggs & Stratton	1894	7,000	L14-30	Yes	Bonded Neutral
Briggs & Stratton	1932	4,000	L14-20	No	All receptacles are GFCI protected. Bonded Neutral
Briggs & Stratton	1933	6,500	L14-20	No	All receptacles are GFCI protected. Bonded Neutral
Briggs & Stratton	1934	8,000	L14-30	No	All receptacles are GFCI protected. Bonded Neutral
Briggs & Stratton	1971	5,250	L14-30	Yes	Bonded Neutral
Briggs & Stratton	1971	5,250	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30204	5,250	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30206	5,500	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30207	10,000	L14-30 or 14-50	Yes	Bonded Neutral
Briggs & Stratton	30208	3,500	L14-20	Yes	Bonded Neutral
Briggs & Stratton	30209	5,500	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30210	8,000	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30211	6,200	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30214	3,500	L14-20	Yes	Bonded Neutral
Briggs & Stratton	30215	5,600	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30235	5,550	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30238	3,750	L14-20	Yes	Bonded Neutral
Briggs & Stratton	30239	2,000	Duplex	No	No 120/240V - 4-Blade Outlet
Briggs & Stratton	30241	5,550	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30242	8,750	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30244	8,000	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30246	5,550	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30253	5,550	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30319	4,000	Duplex	No	Bonded Neutral
Briggs & Stratton	30320	4,000	Duplex	No	Bonded Neutral
Briggs & Stratton	30324	5,550	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30333	5,500	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30334	8,000	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30335	4,000	L14-20	No	All receptacles are GFCI protected
Briggs & Stratton	30336	6,500	L14-30	No	All receptacles are GFCI protected.
Briggs & Stratton	30337	8,000	L14-30	No	All receptacles are GFCI protected.
Briggs & Stratton	30338	10,000	L14-30 and 14-50	No	All receptacles are GFCI protected.
Briggs & Stratton	30342	4,000	L14-20	No	All receptacles are GFCI protected.
Briggs & Stratton	30343	5,000	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30348	3,500	L14-20	No	Unit is too small to get the GenerLink to transfer
Briggs & Stratton	30358	6,200	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30362	5,000	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30380	5,000	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30384	10,000	L14-30, 14-50	Yes	Bonded Neutral
Briggs & Stratton	30419	6,200	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30422	5,000	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30424	5,500	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30426	7,200	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30430	5,500	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30430-2	5,500	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30430-A	5,500	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30432	6,200	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30439	3,500	L14-20	No	Unit is too small to get the GenerLink to transfer
Briggs & Stratton	30448	6,250	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30466	3,500	L14-20	No	Unit is too small to get the GenerLink to transfer
Briggs & Stratton	30467	5,000	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30468	5,500	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30469	6,000	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30470	7,000	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30471	8,000	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30549	7,500	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30551	6,250	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30592-01	6,250	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30663	7,000	L14-30	Yes	Bonded Neutral
Briggs & Stratton	30664	8,000	L14-30	Yes	Bonded Neutral
Briggs & Stratton	40243	10,000	No Plug	No	No receptacles hardwired in.
Briggs & Stratton	40248	7,000	L14-30	No	All receptacles are GFCI protected.
Briggs & Stratton	40301	7,000	No Plug	No	No receptacles hardwired in.
Briggs & Stratton	40325	10,000	Hard Wired Only	Yes	Bonded Neutral. MA24 ONLY
Briggs & Stratton	09801-9	10,000	L14-30 or 14-50	Yes	Bonded Neutral

Briggs & Stratton	EXL8000	8,000	L14-30	Yes	Bonded Neutral
Brute	30635	5,250	L14-30	Yes	Floating Neutral
Brute	30687	6,500	L14-30	Yes	Floating Neutral
Buffalo Tools	GENSD7	6,300	L14-30	Yes	Bonded Neutral
Campbell Hausfeld	GM45110		L14-20	Yes	Floating Neutral
Case IH	MC9000ER	9,000	L14-30	Yes	Bonded Neutral
Centurion	3250	3,250	L14-20	No	Unit is too small to get the GenerLink to transfer
Centurion	4986	12,500	L14-30 OR 14-50	No	Unit is too Large
Centurion	4987	15,000	L14-30 OR 14-50	No	Unit is too Large
Centurion	4987-1	15,000	L14-30 OR 14-50	No	Unit is too Large
Centurion	5577-0	5,000	L14-30	Yes	Bonded Neutral. By Generac
Centurion	5577-1	5,000	L14-30	Yes	Bonded Neutral. By Generac
Centurion	5578-0	5,000	L14-30	Yes	Bonded Neutral. By Generac
Centurion	5790-0	3,250	L14-20	No	Unit is too small to get the GenerLink to transfer
Centurion	6104-0	3,250	L14-20	No	Unit is too small to get the GenerLink to transfer
Champion	100102	7,200	L14-30	Yes	Bonded Neutral
Champion	100105	3,000	L5-30R	No	Unit is too small to get the GenerLink to transfer
Champion	100106	5,500	L14-30	Yes	Bonded Neutral
Champion	100107	6,500	L14-30	Yes	Bonded Neutral
Champion	100110	9,200	L14-50 or L14-30	Yes	Bonded Neutral
Champion	100334	9,200	L14-50 or L14-30	Yes	Bonded Neutral
Champion	100344	9,200	L14-50 or L14-30	Yes	Bonded Neutral
Champion	100247	5,500	L14-30	Yes	Bonded Neutral
Champion	100248	7,200	L14-30	Yes	Bonded Neutral
Champion	100155	7,000	L14-30	Yes	Bonded Neutral
Champion	100157	3,500	L5-30	No	No 120/240V - 4-Blade Outlet
Champion	100161	7,500	14-50 or L14-30	Yes	Bonded Neutral
Champion	100165	7,500	L14-30	Yes	Bonded Neutral
Champion	100163	9,000	L14-50 or L14-30	Yes	Bonded Neutral
Champion	100203	9,000	L14-50 or L14-30	Yes	Bonded Neutral
Champion	100204	3,200	L5-30	No	Unit is too small/No 120/240 4 Blade Outlet
Champion	100219	7,500	L14-30	Yes	Bonded Neutral
Champion	100230	7,200	L14-30	Yes	Bonded Neutral
Champion	100263	3,200	L5-30	No	Unit is too small
Champion	100264	3,200	L5-30	No	Unit is too small
Champion	100296	7,500	L14-30	Yes	Bonded Neutral
Champion	100297	8,000	L14-30	Yes	Bonded Neutral
Champion	40023	6,000	L14-30	Yes	Bonded Neutral
Champion	40026	3,500	L5-30	No	No 120/240V - 4-Blade Outlet
Champion	40043	7,200	L14-30	Yes	Bonded Neutral
Champion	40050	5,500	L14-30	Yes	Floating Neutral
Champion	40051	3,500	120V Only	No	No 120/240V - 4-Blade Outlet
Champion	41030	5,000	L14-30	Yes	Bonded Neutral
Champion	41115	5,000	L14-30	Yes	Floating Neutral
Champion	41135	5,500	L14-30	Yes	Floating Neutral
Champion	41151	6,500	L14-30	Yes	Floating Neutral
Champion	41152	5,500	L14-30	Yes	Bonded Neutral
Champion	41153	5,500	L14-30	Yes	Bonded Neutral
Champion	41154	5,500	L14-30	Yes	Floating Neutral
Champion	41155	5,500	L14-30	Yes	Floating Neutral
Champion	41302	6,000	L14-30	Yes	Floating Neutral
Champion	41311	6,000	L14-30	Yes	Floating Neutral
Champion	41332	6,500	L14-30	Yes	Floating Neutral
Champion	41351	6,500	L14-30	Yes	Floating Neutral
Champion	41410	9,375	L14-30	Yes	Floating Neutral
Champion	41430	7,500	L14-30 or 14-50	Yes	Floating Neutral
Champion	41513	7,000	L14-30	Yes	Floating Neutral
Champion	41532	7,000	L14-30	Yes	Floating Neutral
Champion	41533	7,200	L14-30	Yes	Floating Neutral
Champion	41534	9,500	L14-30 or 14-50	Yes	Floating Neutral
Champion	41535	7,500	L14-30	Yes	Bonded Neutral
Champion	41537	7,500	L14-30	Yes	Floating Neutral
Champion	41552	7,200	L14-30	Yes	Floating Neutral
Champion	41553	7,200	L14-30	Yes	Floating Neutral
Champion	46514	4,000	L14-30	Yes	Floating Neutral
Champion	46515	3,500	120V Only	No	No 120/240V - 4-Blade Outlet
Champion	46516	4,000	L5-30	No	No 120/240V - 4-Blade Outlet
Champion	46535	2,800	L14-20	No	Unit is too small to get the GenerLink to transfer
Champion	46539	3,500	L5-30	No	Floating Neutral
Champion	46540	4,000	L14-20	Yes	Floating Neutral
Champion	46551	4,000	L5-30	No	Floating Neutral
Champion	46553	4,000	L5-30	No	No 120/240V - 4-Blade Outlet
Champion	46554	3,000	L14-20	No	Unit is too small to get the GenerLink to transfer
Champion	46556	3,000	L5-30	No	No 120/240V - 4-Blade Outlet
Champion	46558	3,000	L5-30	No	No 120/240V - 4-Blade Outlet

Champion	46577	3,500	L14-30	No	Unit is too small to get the GenerLink to transfer
Champion	46593	3,500	L5-30	No	No 120/240V - 4-Blade Outlet
Champion	46597	4,000	L5-30	No	No 120/240V - 4-Blade Outlet
Champion	46598	3,500	L14-30	No	Unit is too small to get the GenerLink to transfer
Champion	49057	4,500	L5-30	No	No 120/240V-4-Blade Outlet
Champion	49065	4,800	L14-30	Yes	Floating Neutral
Champion	71307	4,600	L14-30	Yes	Floating Neutral
Champion	71330	6,000	L14-30	Yes	Bonded Neutral
Champion	71530	7,000	L14-30	Yes	Bonded Neutral
Champion	71531	7,000	L14-30	Yes	Bonded Neutral
Champion	71532	7,000	L14-30	Yes	Bonded Neutral
Champion	75531i	3,100	L5-20	No	No 120/240 - 4-Blade Outlet
Champion	75551i	3,100	L5-30	No	No 120/240 - 4-Blade Outlet
Champion	76533	3,800	L5-30	No	No 120/240 - 4-Blade Outlet
Champion	CSA41155	5,500	L14-30	Yes	Floating Neutral
Champion	CSA41255	5,500	L14-30	Yes	Floating Neutral
Champion	C42412-1	1,200	10A	No	No 120/240V - 4-Blade Outlet
Champion	CSA40017	6,500	L14-30	Yes	Floating Neutral
Champion	CSA40032	3,000	L5-15	No	No 120/240V - 4-Blade Outlet
Champion	CSA40043	7,200	L14-30	Yes	Bonded Neutral
Champion	CSA40045	4,500	L14-30	Yes	Floating Neutral
Champion	CSA41155	5,500	L14-30	Yes	Floating Neutral
Champion	CSA40036	5,500	L14-30	Yes	Floating Neutral
Champion	100102	7,200	L14-30	Yes	Floating Neutral
Chicago	40423	6,100	L14-30	Yes	Floating Neutral
Chicago	40827	10,000	L14-30 or 14-50	Yes	Floating Neutral
Chicago	65309	15,000	14-50	No	Unit is too large. GFCI
Chicago	66604	6,500	L14-30	Yes	Floating Neutral
Chicago	67560	3,050	L5-30	No	No 120/240v - 4 Blade Outlet
Chicago	90300	4,500	L14-20	Yes	Floating Neutral
Chicago	91213	2,200	Duplex	No	No 120/240V-4-Blade Outlet
Chicago	95960	7,000	L14-30	Yes	Floating Neutral
Chicago	98838	5,500	L14-30	Yes	Floating Neutral
Coleman Maxa ER Plus	PM0525312	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	COPM049650417	6,500	L14-20	Yes	Floating Neutral
Coleman Powermate	COPM052530203	5,000	L14-30	Yes	Floating Neutral
Coleman Powermate	COPM052531217	5,000	L14-30	Yes	Floating Neutral
Coleman Powermate	COPM0545003	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	COPM054500401	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PC0435001	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PC0473503	4,200	L14-20	Yes	Floating Neutral
Coleman Powermate	PC0475003	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PC0477023	7,000	L14-30	Yes	Floating Neutral
Coleman Powermate	PC0495503	6,875	L14-30	Yes	Floating Neutral
Coleman Powermate	PC0496503.17	6,500	L14-30	Yes	Floating Neutral
Coleman Powermate	PC0496752	6,750	L14-30	Yes	Floating Neutral
Coleman Powermate	PC0496753	7,000	L14-30	Yes	Floating Neutral
Coleman Powermate	PC0525300.18		L14-30	Yes	Floating Neutral
Coleman Powermate	PC0525300.19		L14-30	Yes	Floating Neutral
Coleman Powermate	PC0525303	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PC0525302.02	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PC0525304	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PC0525305	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PC0545007	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PC0545305.02	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PC0545305.17	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PC0555523.01	5,500	L14-30	Yes	Floating Neutral
Coleman Powermate	PC0557523.8	7,500	L14-30	Yes	Floating Neutral
Coleman Powermate	PC0675500	5,500	L14-30	Yes	Floating Neutral
Coleman Powermate	PC0685000	5,000	L14-30	Yes	Bonded Neutral
Coleman Powermate	PL0473503	4,200	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0101400	1,750	5-15A	No	Bonded Neutral
Coleman Powermate	PM0103007	3,000	L14-30	No	Unit is too small to get the GenerLink to transfer
Coleman Powermate	PM0105007	5,000	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0106507	6,500	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0123250	3,250	L14-20	No	Unit is too small to get the GenerLink to transfer
Coleman Powermate	PM0123250.02	3,250	L14-20	No	Unit is too small to get the GenerLink to transfer
Coleman Powermate	PM0125500	5,500	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0126000	6,000	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0135500	5,500	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0418000	8,000	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0431802	2,250	Duplex	No	No 120/240V - 4-Blade Outlet
Coleman Powermate	PM0433500	3,500	L14-20	No	Unit is too small to get the GenerLink to transfer
Coleman Powermate	PM0434600	4,600	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0435000	5,000	L14-20	Yes	Floating Neutral

Coleman Powermate	PM0435001	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0435005	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0463300.01	3,250	L14-20	No	Unit is too small to get the GenerLink to transfer
Coleman Powermate	PM0473503	4,200	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0474203	4,200	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0475003	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0477022	7,000	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0477023	7,000	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0478022	7,000	5-20	No	No 120/240V- 4 Blade Outlet
Coleman Powermate	PM0496504	6,500	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0497000	7,000	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0497000.02	7,000	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0524000	4,000	Duplex	No	No 120/240V - 4-Blade Outlet
Coleman Powermate	PM0524000.01	4,000	Duplex	No	No 120/240V - 4-Blade Outlet
Coleman Powermate	PM0525202	5,000	5-20R and 6-20R	No	No 120/240V - 4-Blade Outlet
Coleman Powermate	PM0525202.02	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0525202.03	5000 KW	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0525300	5,500	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0525302.17	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0525303	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0525303.01	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0525312.17	5,200	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0525312.18	5,200	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0535000	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0435001	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0535202	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0535202.04	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0543250.01	3,250	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0545003	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0545004	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0545004.17	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0545004.18	5,000	L14-20	Yes	Floating Neutral. Not available in Canada
Coleman Powermate	PM0545005	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0545006	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0545007.01	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0545007.02	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0545007.03	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0545008	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0545202.01	5,000	Duplex Only	No	No 120/240V - 4-Blade Outlet
Coleman Powermate	PM0545305.02	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0545305.17	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0555523	7,500	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0558023	7,500	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0557523	7,500	14-50	Yes	Floating Neutral. Vertex Series
Coleman Powermate	PM0557523.9	7,500	14-50	Yes	Floating Neutral
Coleman Powermate	PM0558023.01	8,000	14-50	Yes	Floating Neutral
Coleman Powermate	PM0601100	11,000	14-50	No	Unit is too Large
Coleman Powermate	PM0601250	12,500	14-50	No	Unit is too Large
Coleman Powermate	PM0601350	17,000	14-50	No	Unit is too large
Coleman Powermate	PM0603250	3,250	Duplex	No	No 120/240V - 4-Blade Outlet
Coleman Powermate	PM0605000	5,000	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0606500	6,500	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0606750	6,750	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0645250	6,560	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0645500	5,500	L14-30	Yes	Bonded Neutral
Coleman Powermate	PM0647000	7,000	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0675700	5,700	L14-30	Yes	Floating Neutral
Coleman Powermate	PMA505622	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PMA525302	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PMA525500	5,500	L14-20	Yes	Floating Neutral
Coleman Powermate	PMC102500	5,000	Duplex	No	No 120/240V - 4-Blade Outlet
Coleman Powermate	PMC525501	5,500	L14-20	Yes	Floating Neutral
Coleman Powermate	PMC601200	12,000	14-50	Yes	Floating Neutral. Cannot use L14-30. It is only 3 wire
Coleman Powermate	RPM052500	5,500	L14-20	Yes	Floating Neutral
Coleman Powermate	RPM0535000	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	RPM0545007	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	RPM05525312	5,000	L14-20	Yes	Floating Neutral
Companion	919329110	5,500	14-30	Yes	
Contractor Line	GEN8000	6,000	L14-30	Yes	Floating Neutral
CPE Power Station	40046	5,000	L14-30	Yes	Floating Neutral
Craftsman	030299-0	6,300	L14-30	Yes	Bonded Neutral
Craftsman	030299-1	6,300	L14-30	Yes	Bonded Neutral
Craftsman	580.327162	6,000	L14-30	Yes	Floating Neutral
Craftsman	580.3233	3,000	None	No	No 120/240V outlet
Craftsman	580.323602	3,600	L14-20	No	Unit is too small to get the GenerLink to transfer

Craftsman	580.325600	5,600	L14-30	Yes	Bonded Neutral
Craftsman	580.325610	5,600	L14-30	Yes	Floating Neutral
Craftsman	580.325650	5,600	L14-30	Yes	Bonded Neutral
Craftsman	580.326310	6,300	L14-30	Yes	Bonded Neutral
Craftsman	580.326311	6,300	L14-30	Yes	Bonded Neutral
Craftsman	580.327051	4,000	L14-20	Yes	Floating Neutral
Craftsman	580.327112	5,000	L14-20	Yes	Floating Neutral
Craftsman	580.327130	3,500	L14-20	No	Unit is too small to get the GenerLink to transfer
Craftsman	580.327140	4,200	L14-20	Yes	Floating Neutral
Craftsman	580.327160	6,000	L14-30	Yes	Floating Neutral
Craftsman	580.327181	7,500	L14-30	Yes	Floating Neutral
Craftsman	580.675610	5,600	L14-30	Yes	Floating Neutral
Craftsman	919.670040	4,250	L14-20	Yes	Floating Neutral
Cummins Onan	10HDKAG/61731	10,000		No	
Cummins Onan	EGHEB 38018	5,500	L14-30	Yes	Bonded Neutral
Cummins Onan	EGMBD P5450e	5,000	L14-30	Yes	Floating Neutral
Cummins Onan	EGMBE 5270A	5,000	L14-30	Yes	Floating Neutral
Cummins Onan	EGMBE 6500	6,500	L14-30	Yes	Floating Neutral
Cummins Onan	EGMBE P6500	5,500	L14-30	Yes	Floating Neutral
Cummins Onan	EGMDB 5500	5,500	L14-30	Yes	Floating Neutral
Cummins Onan	P5550E	5,500	L14-30	Yes	Floating Neutral
Cummins Onan	RPM064700	6,500	L14-30	Yes	Floating Neutral
Cummins Onan	EGHEB 38018	5,500	L14-30	Yes	Bonded Neutral
Dayton	GEN14000	12,000	14-50	No	Unit is too large.
Dayton	2ZRP8	5,000	L14-20	Yes	Bonded Neutral
Dayton	2ZRP9	6,500	L14-30	Yes	Bonded Neutral
DEK	5650	5,650	L14-30	Yes	Floating Neutral
DEK	6500	6,500	L14-30	Yes	Floating Neutral
DEK	7550EL	7,550	L14-30	Yes	Floating Neutral
DeVilbiss	GB5000	5,000	Duplex	No	No 120/240V - 4-Blade Outlet
DeVilbiss	GBVF5000	5,000	L14-20	Yes	Generator cannot be equipped with a GFCI
DeVilbiss	GBV7000	7,000	L14-30	Yes	Floating Neutral
DeVilbiss	GT5000	5,000	Duplex	No	No 120/240V - 4-Blade Outlet
DeVilbiss	PCGT5250WK	5,250	L14-20	Yes	Floating Neutral
DeVilbiss Powerback	GT5000C	5,000	L14-20	Yes	Floating Neutral
DeVilbiss Powerback	GT5000C-1	5,000	L14-20	Yes	Floating Neutral
DeVilbiss Powerback	GTO5200C-WK	5,200	L14-30	Yes	Floating Neutral
DeVilbiss Powerback	GT5250-WK-2	5,250	L14-20	Yes	Floating Neutral
DeVilbiss Powerback	GT5251-1	5,250	L14-20	Yes	Floating Neutral
DeWalt	DG2900	2,400	L5-20	No	No 120/240v - 4 Blade Outlet
DeWalt	DG4300	3,800	L14-20	No	Unit is too small to get the GenerLink to transfer
DeWalt	DG4400BC	4,400	L14-20	Yes	Floating Neutral
DeWalt	DG6000	5,000	L14-30	Yes	Floating Neutral
DeWalt	DG7000	6,000	L14-30	Yes	Floating Neutral
DeWalt	DG7000B	7,000	L14-30	Yes	Floating Neutral
DeWalt	DWDG4300	3,800	L14-20	Yes	Floating Neutral
DeWalt	DWDG6000	5,000	L14-30	Yes	Floating Neutral
DeWalt	DWDG6000E	5,000	L14-30	Yes	Floating Neutral. E = Electric Start
DeWalt	DWDG7000	6,000	L14-30	Yes	Floating Neutral
DeWalt	DWDG7000E	6,000	L14-30	Yes	Floating Neutral. E = Electric Start
DeWalt	DXGN7200	6,000	L14-30	Yes	Bonded Neutral
DeWalt	DXGN14000	11,700	L14-30 or L14-50	No	Unit is too Large
DeWalt	DXGNR7000	7,000	L14-30	Yes	Floating Neutral
Ducar	DF6500H	5,500	L14-30	Yes	Floating Neutral
Duracell	DG65M-R62	5,000	L14-30	Yes	Floating Neutral
Duracell	DG66M-R62	6,500	L14-30	Yes	Floating Neutral
Duracell	DG66M-B62	6,500	L14-30	Yes	Floating Neutral
Duracell	DG67M-R62	7,000	L14-30	Yes	Floating Neutral
Duracell	DG67M-B62	7,000	L14-30	Yes	Floating Neutral
DuroMax	MX4500E	4,500	L14-30	Yes	Floating Neutral
DuroMax	MX10000E	10,000	L14-30 or 14-50	Yes	Floating Neutral
DuroMax	XP10000E	10,000	L14-30 or 14-50	Yes	Floating Neutral
DuroMax	XP10000EH	10,000	L14-30 or 14-50	Yes	Floating Neutral
DuroMax	XP10000E-CA	10,000	L14-30 and 14-50	Yes	Floating Neutral
DuroMax	XP12000EH	9,500	L14-30 and 14-50	Yes	Floating Neutral
DuroMax	XP4400E	4,400	L14-30	Yes	Floating Neutral
DuroMax	XP4400EH	4,400	L14-30	Yes	Floating Neutral
DuroMax	XP4850EH	4,850	L14-30	Yes	Floating Neutral
DuroMax	XP6500E	5,500	L14-30	Yes	Floating Neutral
DuroMax	XP8500E	8,500	L14-30	Yes	Floating Neutral
DuroMax	XP8500ECA	8,500	L14-30	Yes	Floating Neutral
DuroPower	DP7500DES	7,500	L14-30	Yes	Floating Neutral
DuroPower	DP7500RDS	7,500	L14-30	Yes	Floating Neutral
DuroPower	XP4400E	3,500	L14-30	No	Unit is too small to get the GenerLink to transfer
DuroStar	DS4000S	3,300		No	No 120/240v - 4 Blade Outlet

DuroStar	DS4000WGE	3,500		No	No 120/240v - 4 Blade Outlet
DuroStar	DS7200	5,500	L14-30	Yes	Bonded Neutral
DuroStar	DS7200Q	5,500	L14-30	Yes	Bonded Neutral
DuroStar	DS10000E	10,000	L14-30 or 14-50	Yes	Bonded Neutral
Dynamo	DP7100	5,000	L14-30	Yes	Bonded Neutral
Dynamo	DXP10000	10,000	L14-30 or 14-50	Yes	Bonded Neutral
Eastern Tools & Equipment	DG4LE	3,600	L14-20	No	Unit is too small to get the GenerLink to transfer
Eastern Tools & Equipment	DG6LE	3,600	L14-20	No	Unit is too small to get the GenerLink to transfer
Eastern Tools & Equipment	ETQPG60B12	6,000	L14-30	Yes	Floating Neutral
Eastern Tools & Equipment	PG30P11	3,000		No	Only 120v 3-Wire
Eastern Tools & Equipment	TG5250	5,250	L14-30	Yes	Bonded Neutral
Eastern Tools & Equipment	TG52T42	5,250	L14-30	Yes	Floating Neutral
Eastern Tools & Equipment	TG60H12	6,000	L14-30	Yes	Floating Neutral
Eastern Tools & Equipment	TG72B12	7,250	L14-30	Yes	Floating Neutral
Eastern Tools & Equipment	TG72K12	7,250	L14-30	Yes	Bonded Neutral
Eastern Tools & Equipment	TG8250	8,250	L14-30	Yes	Floating Neutral
Eastern Tools & Equipment	PT GEN7003E	7,000	L14-30	Yes	Floating Neutral
Endress	ESE 5006 BS/S	4,500	L14-30	Yes	Floating Neutral
Endress	ESE 7006 BS/S	6,200	L14-30	Yes	Floating Neutral
Energ-G+	LT6550CLE	6,500	L14-30	Yes	Floating Neutral
Energizer	eZG6250	5,500	L14-30	Yes	Floating Neutral
Evans	G110	9,400	L14-30	Yes	Bonded Neutral
Everlast	SP10000E	8,500	L14-30 or 14-50	Yes	Floating Neutral
Firman	PRE9000KE	7,500	L-14-30	Yes	Floating Neutral
Firman	RD9000E	7,500	L-14-30	Yes	Floating Neutral
Firman	PO8004	8,000	L14-30 or 14-50	Yes	Floating Neutral
Ford	FG7750P	7,750	L14-30	Yes	Floating Neutral
Ford	FG11050PE	9,000	14-50	Yes	Floating Neutral
Fuzhou Launtop	LT6500CL	5,000	L14-20	Yes	Floating Neutral
Generac	1655-2	5,500	L14-30	Yes	Bonded Neutral
Generac	1305-0	4,200	L14-20	Yes	Bonded Neutral
Generac	1329	2,400	L14-20	No	Unit is too small to get the GenerLink to transfer
Generac	1339	12,500	L14-30 and 14-50	No	Unit is too Large
Generac	1646	5,550	L14-30	Yes	Floating Neutral. Surge starting watts 8550
Generac	5604	4,000		No	Full Panel GFCI
Generac	55010	7,000	Hard Wired Only	Yes	Floating Neutral
Generac	001019	7,500	L14-30 and 14-50	Yes	Floating Neutral
Generac	01021-0	6,500	L14-30	Yes	Floating Neutral
Generac	001006-1	6,500	L14-30	Yes	Bonded Neutral
Generac	001140-0	5,000	L14-20	Yes	Bonded Neutral
Generac	001312-0	5,000	L14-20	Yes	Floating Neutral
Generac	001314-0	5,500	L14-30	Yes	Floating Neutral
Generac	001329-0	5,000	L14-20	Yes	Floating Neutral
Generac	001470-0	7,000	L14-30	Yes	Floating Neutral
Generac	001470-1	7,500	L14-30	Yes	Floating Neutral
Generac	001645-0	4,000	L14-20	Yes	Floating Neutral
Generac	001646-5	5,550	L14-30	Yes	Floating Neutral
Generac	001656-1	4,000	L14-20	Yes	Floating Neutral
Generac	004451	12,500	L14-30 and 14-50	No	Unit is too Large
Generac	004582	15,000	L14-30 and 14-50	No	Unit is too Large
Generac	005518-1	8,000	Hard Wired Only	Yes	Floating Neutral
Generac	005605-0	6,500	L14-30	Yes	Floating Neutral
Generac	005606-0	8,000	L14-30	Yes	Bonded Neutral
Generac	005622-0	5,000	L14-30	Yes	Floating Neutral
Generac	005622-1	5,000	L14-30	Yes	Floating Neutral
Generac	005623-0	6,500	L14-30	Yes	Floating Neutral
Generac	005623-1	6,500	L14-30	Yes	Floating Neutral
Generac	005625-0	7,000	L14-30	Yes	Floating Neutral
Generac	005626-0	7,000	L14-30	Yes	Floating Neutral
Generac	005680-0	8,000	L14-30	Yes	Floating Neutral
Generac	005681-0	8,000	L14-30	Yes	Floating Neutral
Generac	005688-0	5,000	L14-30	Yes	Floating Neutral
Generac	005690-0	5,500	L14-30	Yes	Floating Neutral
Generac	005693-0	7,000	L14-30	Yes	Floating Neutral
Generac	005696-0	8,000	L14-30	Yes	Floating Neutral
Generac	005698-0	5,500	L14-30	Yes	Bonded Neutral
Generac	005708-0	8,000	L14-30	Yes	Bonded Neutral
Generac	005708-1	8,000	L14-30	Yes	Floating Neutral
Generac	005714-0	8,000	L14-30	Yes	Bonded Neutral
Generac	005723-0	1,800	5-20	No	No 120/240V - 4-Blade Outlet
Generac	005724-0	3,250	5-20	No	No 120/240V - 4-Blade Outlet
Generac	005732-0	5,500	L14-30	Yes	Floating Neutral
Generac	005734-0	15,000	L14-30 or 14-50	No	Unit is too Large
Generac	005735-0	17,500	L14-30 and 14-50	No	Unit is too Large
Generac	0057351	17,500	L14-30 and 14-50	No	Unit is too Large

Generac	005736-0	5,500	L14-30	Yes	Floating Neutral
Generac	005738-0	6,500	L14-30	Yes	Floating Neutral
Generac	005747-0	8,000	L14-30	Yes	Bonded Neutral
Generac	005747-3	8,000	L14-30	Yes	Bonded Neutral
Generac	005778-2	3,600	L14-20	No	Unit is too small to get the GenerLink to transfer
Generac	005789-0	3,250	Duplex	No	No 120/240V - 4-Blade Outlet
Generac	005790-0	3,250	L14-20	No	Unit is too small to get the GenerLink to transfer
Generac	005796-0	6,500	L14-30	Yes	Bonded Neutral
Generac	005797-0	7,000	L14-30	Yes	Bonded Neutral
Generac	005798-0	7,000	L14-30	Yes	Bonded Neutral
Generac	005800-0	8,000	L14-30	Yes	Bonded Neutral
Generac	005802-0	10,000	14-50	Yes	Floating Neutral
Generac	005802-2	10,000	14-50	Yes	Floating Neutral
Generac	005845-2	7,000	L14-30	Yes	Bonded Neutral
Generac	005846-2	8,000	L14-30	Yes	Floating Neutral
Generac	005847-0	8,000	L14-30	Yes	Floating Neutral
Generac	005847-3	8,000	L14-30	Yes	Floating Neutral
Generac	005871-0	10,000	Hardwire Only	Yes	MA24 ONLY
Generac	005882-1	8,000	Hardwire Only	Yes	Floating Neutral
Generac	005929-0	3,600	L14-30	No	All receptacles are GFCI protected
Generac	005930-0	6,500	L14-30	No	All receptacles are GFCI protected
Generac	005930-1	3,600		No	All receptacles are GFCI protected
Generac	005931-0	8,000	L14-30	No	All receptacles are GFCI protected
Generac	005932-0	10,000	L14-30	No	All receptacles are GFCI protected
Generac	005938-0	5,000	L14-30	Yes	Floating Neutral
Generac	005939-0	5,500	L14-30	Yes	Floating Neutral
Generac	005939-3	5,500	L14-30	Yes	Floating Neutral
Generac	005939-5	5,500	L14-30	Yes	Floating Neutral
Generac	005939-6	5,500	L14-30	Yes	Bonded Neutral
Generac	005940-0	6,500	L14-30	Yes	Floating Neutral
Generac	005940-1	6,500	L14-30	Yes	Bonded Neutral
Generac	005940-2	6,500	L14-30	Yes	Bonded Neutral
Generac	005941-0	6,500	L14-30	Yes	Bonded Neutral
Generac	005941-2	6,500	L14-30	Yes	Bonded Neutral
Generac	005941-3	6,500	L14-30	Yes	Bonded Neutral
Generac	005942-0	7,500	L14-30	Yes	Floating Neutral
Generac	005943-0	7,500	L14-30	Yes	Bonded Neutral
Generac	005943-2	7,500	L14-30	Yes	Bonded Neutral
Generac	005943-3	7,500	L14-30	Yes	Bonded Neutral
Generac	005943-4	7,500	L14-30	Yes	Bonded Neutral
Generac	005943-5	7,500	L14-30	Yes	Bonded Neutral
Generac	005943-7	7,500	L14-30	Yes	Bonded Neutral
Generac	005945-1	5,500	L14-30	Yes	Bonded Neutral
Generac	005971-0	5,000	L14-30	Yes	Bonded Neutral
Generac	005975-0	5,500	L14-30	Yes	Bonded Neutral
Generac	005975-2	5,500	L14-30	Yes	Bonded Neutral
Generac	005976-0	6,500	L14-30	Yes	Bonded Neutral
Generac	005976-2	6,500	L14-30	Yes	Bonded Neutral
Generac	005978-0	7,500	L14-30	Yes	Bonded Neutral
Generac	005978-2	7,500	L14-30	Yes	Bonded Neutral
Generac	005978-0	7,500	L14-30	Yes	Bonded Neutral
Generac	005978-2	7,500	L14-30	Yes	Bonded Neutral
Generac	005982-1	3,250	L14-20	No	Unit is too small to get the GenerLink to transfer
Generac	006000-0	3,250	L14-20	No	Unit is too small to get the GenerLink to transfer
Generac	006001-0	5,500	L14-30	Yes	Bonded Neutral
Generac	006036-1	5,500	L14-30	Yes	Floating Neutral
Generac	006104-0	3,250	L14-20	No	Unit is too small to get the GenerLink to transfer
Generac	006110-0	5,500	L14-30	Yes	Bonded Neutral
Generac	006110-2	5,500	L14-30	Yes	Bonded Neutral
Generac	006110-3	5,500	L14-30	Yes	Bonded Neutral
Generac	006111-0	8,000	L14-30	Yes	Floating Neutral
Generac	006218-0	5,000	L14-30	Yes	Floating Neutral
Generac	006431-0	3,300	L14-20	No	Unit is too small to get the GenerLink to transfer
Generac	006433-0	8,000	L14-30	Yes	Floating Neutral
Generac	006439-0	11,000	Hard Wired Only	No	Unit is too Large
Generac	006515-0	6,500	L14-30	Yes	Floating Neutral
Generac	006672-0	5,500	L14-30	Yes	Bonded Neutral
Generac	006673-0	7,000	L14-30	Yes	Floating Neutral
Generac	006674-0	5,500	L14-30	Yes	Bonded Neutral
Generac	006675-0	7,000	L14-30	Yes	Floating Neutral
Generac	006871-0	30,000		No	Unit is too Large
Generac	006954-0	8,000	L14-30	Yes	Bonded Neutral
Generac	008820-1	10,000	Hard Wired Only	Yes	Floating Neutral
Generac	009173-0	4,000		No	No 120/240- 4 Blade outlet
Generac	009719-2	5,000	L14-20	Yes	Floating Neutral



Generac	009719-3	5,000	L14-20	Yes	Bonded Neutral
Generac	009777-2	4,000	L14-20	Yes	Floating Neutral
Generac	09778-0	5,500	L14-30	Yes	Floating Neutral
Generac	009797-3	5,500	L14-30	Yes	Floating Neutral
Generac	09798-2	6,500	L14-30	Yes	Floating Neutral
Generac	009801-1	10,000	L14-30 OR 14-50	Yes	Floating Neutral
Generac	009856-0	5,000	L14-20	Yes	Bonded Neutral
Generac	009885-2	5,500	L14-30	Yes	Bonded Neutral
Generac	BS1339	10,000	L14-30	Yes	Floating Neutral
Generac	BS1654	5,500	L14-30	Yes	Floating Neutral
Generac	BS1669	5,000	L14-20	Yes	Floating Neutral
Generac	BS9777	4,000	L14-20	Yes	Floating Neutral
Generac	BS9801	10,000	L14-30	Yes	Floating Neutral
Generac	LP5500	5,500	L14-30	Yes	Bonded Neutral
Generac	MC5500	5,500	L14-30	Yes	Floating Neutral. Surge starting watts 6875
Generac	MLT3060K	6,000	L6-30	No	No 120/240V-4-Blade Outlet
General Power Products	APP 6000	6,300	L14-30	Yes	Floating Neutral
General Power Products	GEN 3500	3,200	5-15	No	No 120/240V - 4-Blade Outlet
General Power Products	GEN 6500	6,200	L14-30	Yes	Floating Neutral
GenPower	LGD15			No	
Gen-Pro	GPN-50EH	4,500	L14-20	Yes	Floating Neutral. 2011 and older.
Gen-Pro	GPN-50EH	4,500	L14-20	No	2012 and Newer have full panel GFCI
Gen-Pro	GPN-75EH		L14-30	Yes	Floating Neutral
Gen-Pro	GPN-125EH	12,500	14-50	No	Unit is too Large
Gentron	G3500LPG	3,500	L14-30	No	Unit is too small to get the GenerLink to transfer
Gentron	GENTRI10	8,500	L14-30	Yes	Floating Neutral
Gentron	G6000LPG	6,000	L14-30	Yes	Floating Neutral
Gentron	GG10020	10,000	L14-30	Yes	Floating Neutral
Gentron	PRO GG6000	5,000	L14-30	Yes	Floating Neutral
Gentron	PRO2-10000	7,200	L14-30	Yes	Bonded Neutral
Gentron	PRO2-3500P	2,800	L14-30	No	Unit is too small to get the GenerLink to transfer
Gentron	PRO2-6000W	6,000	L14-30	Yes	Floating Neutral
Gentron	PRO2-7500	7,500	L14-30	Yes	Floating Neutral
Gillette Generators	GPN-90E	9,000	14-50	Yes	Floating Neutral
Goss Industries	GS3000i	3,000		No	No 4 blade outlet
Goss Industries	GS5000i	5,000		No	No 4 blade outlet
Goss Industries	GS5001W	5,250	L14-30	Yes	Bonded Neutral
Goss Industries	GS5600W	5,000	L14-30	Yes	Bonded Neutral
Goss Industries	GSE9000E	7,250	L14-30	Yes	Bonded Neutral
GT-Power	GT6500LDE	5,500	L14-30	Yes	Floating Neutral
Guardian	004582-2	12,000	L14-30 or 14-50	No	Unit is too Large
Guardian	004583-0	17,500	L14-30 or 14-50	No	Unit is too Large
Guardian	005209	15,000	14-50	No	Unit is too Large
Guardian	4451	12,500	L14-30	No	Unit is too Large
Guardian	4582	15,000	L14-30	No	Unit is too Large
Guardian	5348	8,000	L14-30	No	All receptacles are GFCI protected
Henchan	CC5500	5,500	L14-30	Yes	Floating Neutral
Hitachi	E43	4,300	L14-20	Yes	Bonded Neutral
Hitachi	E60	6,000	L14-30	Yes	Bonded Neutral
Hitachi	E71	7,100	L14-30	Yes	Bonded Neutral
Hobart	Champion 10000	9,500	14-50	Yes	Floating Neutral
Hobart	Champion Elite	11,000	14-50	No	Unit is too Large
Hobart	Champion 4500	4,500		No	No 120/240 - 4-Blade Outlet
Hobart	Titan 8	8,000	14-50	Yes	Bonded Neutral
Homelite	HG3500	3,500	L14-20	No	Unit is too small to get the GenerLink to transfer
Homelite	HG5000	5,000	L14-30	Yes	Bonded Neutral
Homelite	HG5700	5,700	L14-30	Yes	Bonded Neutral
Homelite	HG6000	5,500	L14-30	Yes	Bonded Neutral
Homelite	HRL440	4,400		No	No 120/240V - 4-Blade Outlet
Homelite	LR4300	3,800	L14-20	Yes	Bonded Neutral
Homelite	UT905000P	5,000	L14-20	Yes	Floating Neutral
Homelite	UT905000SA	5,000	L14-20	Yes	Floating Neutral
Homelite	UT905700	5,700	L14-30	Yes	Bonded Neutral
Homelite	HGCA4500	4,500	L14-30	Yes	Bonded Neutral
Homelite	HGCA5000	5,000	L14-30	Yes	Bonded Neutral
Homelite EH2500HD	UT03686	2,300	5-15	No	No 120/240V - 4-Blade Outlet
Homelite EH2500HD-CSA	UT03691	2,300	5-20	No	No 120/240V - 4-Blade Outlet
Homelite EH4000HD-CSA	UT03692	3,600	5-15 & 6-15	No	No 120/240V - 4-Blade Outlet
Homelite EH4400HD	UT03687	4,000	5-15 & 6-15	No	No 120/240V - 4-Blade Outlet
Homelite EH5000HD-CSA	UT03694	4,800	5-20 & 6-20	No	No 120/240V - 4-Blade Outlet
Homelite EH5500HD	UT03689	5,200	5-15 & 6-15	No	No 120/240V - 4-Blade Outlet
Homelite EHE4000HD-CSA	UT03693	3,600	5-15 & 6-15	No	No 120/240V - 4-Blade Outlet
Homelite EHE4400HD	UT03688	4,000	5-15 & 6-15	No	No 120/240V - 4-Blade Outlet
Homelite EHE5000HD-CSA	UT03695	4,800	5-20 & 6-20	No	No 120/240V - 4-Blade Outlet
Homelite EHE5500HD	UT03690	5,200	5-15 & 6-15	No	No 120/240V - 4-Blade Outlet

Homelite LR2500	UT03773B	2,300	5-20	No	No 120/240V - 4-Blade Outlet
Homelite LR4400	UT03781B	4,000	L14-20	Yes	Floating Neutral
Homelite LR5000T	UT03829	4,600	L14-20	Yes	Floating Neutral
Homelite LR5500	UT03774B	5,000	L14-20	Yes	Floating Neutral
Homelite LR5500-CSA	UT03785	5,000	L14-20	Yes	Floating Neutral
Homelite LRE4400	UT03783B	4,000	L14-20	Yes	Floating Neutral
Homelite LRE5500	UT03775B	5,000	L14-20	Yes	Floating Neutral
Honda	03369	7,000	L14-30	Yes	Bonded Neutral
Honda	EB10000	10,000	L14-30	No	All receptacles are GFCI protected
Honda	EB11000	9,500	L14-30	No	All receptacles are GFCI protected
Honda	EB12D	10,000	L14-30	No	All receptacles are GFCI protected
Honda	EB12DAG	10,000	L14-30	No	All receptacles are GFCI protected
Honda	EB3500	3,000	L14-20	No	All receptacles are GFCI protected
Honda	EB3500X	3,000	L14-20	No	All receptacles are GFCI protected
Honda	EB3500XK1	3,000	L14-20	No	All receptacles are GFCI protected
Honda	EB3800	3,000	L14-20	No	All receptacles are GFCI protected
Honda	EB3800X	3,300	L14-20	No	All receptacles are GFCI protected
Honda	EB5000	4,500	L14-30	No	All receptacles are GFCI protected
Honda	EB5000i	4,500	L14-30	No	All receptacles are GFCI protected
Honda	EB5000X	4,500	L14-30	No	All receptacles are GFCI protected
Honda	EB5000XK2A	4,500	L14-30	No	All receptacles are GFCI protected
Honda	EB6500	5,500	L14-30	No	All receptacles are GFCI protected
Honda	EB6500X	5,500	L14-30	No	All receptacles are GFCI protected
Honda	EB6500XKC	5,500	L14-30	No	All receptacles are GFCI protected
Honda	EB7000i	5,500	L14-30	No	All receptacles are GFCI protected
Honda	EB10000	10,000	L14-30	No	All receptacles are GFCI protected
Honda	EG3500	3,000	L14-20	No	Unit is too small to get the GenerLink to transfer
Honda	EG4000CL	4,000	L14-20	Yes	Floating Neutral
Honda	EG5000	4,500	L14-30	Yes	Floating Neutral
Honda	EG5000CL	5,000	L14-30	Yes	Floating Neutral
Honda	EG5000XK1	4,500	L14-30	Yes	Floating Neutral
Honda	EG6500	6,500	L14-30	Yes	Floating Neutral
Honda	EG6500CL	6,500	L14-30	Yes	Floating Neutral
Honda	EM1600X	1,600	Duplex	No	No 120/240V - 4-Blade Outlet
Honda	EM1800C	1,800	Duplex	No	No 120/240V - 4-Blade Outlet
Honda	EM2200X	2,200	Duplex	No	No 120/240V - 4-Blade Outlet
Honda	EM3000	2,800	L14-20	No	Floating Neutral
Honda	EM3000SX	2,800	L14-20	No	Unit is too small to get the GenerLink to transfer
Honda	EM3000cc	2,500		No	Unit is too small to get the GenerLink to transfer
Honda	EM3500X	3,000	L14-20	No	Unit is too small to get the GenerLink to transfer
Honda	EM3500XK1	2,800	L14-20	No	Unit is too small to get the GenerLink to transfer
Honda	EM3800S	3,300	L14-30	No	Unit is too small to get the GenerLink to transfer
Honda	EM3800SX	3,800	L14-20	No	Unit is too small to get the GenerLink to transfer
Honda	EM4000	3,800	L14-20	No	Unit is too small to get the GenerLink to transfer
Honda	EM5000IS	4,500	L14-30	Yes	Bonded Neutral
Honda	EM5000S	5,000	L14-30	Yes	Bonded Neutral
Honda	EM5000SX	5,000	L14-30	Yes	Bonded Neutral
Honda	EM5000SXX3	5,000	L14-30	Yes	Bonded Neutral
Honda	EM5000X	4,500	L14-30	Yes	Bonded Neutral
Honda	EM6000	5,000	L14-30	Yes	Bonded Neutral
Honda	EM6500	6,500	L14-30	Yes	Bonded Neutral
Honda	EM6500S	5,500	L14-30	Yes	Bonded Neutral
Honda	EM6500SX	5,500	L14-30	Yes	Bonded Neutral
Honda	EM6500S2C	5,500	L14-30	Yes	Bonded Neutral
Honda	EM6500SX	5,500	L14-30	Yes	Bonded Neutral
Honda	EM6500SXX1A	6,500	L14-30	Yes	Bonded Neutral
Honda	EM6500SXX2	5,500	L14-30	Yes	Bonded Neutral
Honda	EM7000IS	5,500	L14-30	Yes	Bonded Neutral
Honda	EMS4500	3,600	L14-20	Yes	Floating Neutral
Honda	E2500CX	2,300		No	Does not have a compatible receptacle
Honda	ES6500	6,000	L14-30	Yes	Floating Neutral - Auto-Throttle must be in OFF position & pilot light illuminated
Honda	ES6500K1	6,000	L14-30	Yes	Bonded Neutral
Honda	ES6500K2	6,000	L14-30	Yes	Bonded Neutral
Honda	EU2000i	1,596	Duplex	No	No 120/240 - 4-Blade Outlet
Honda	EU2000i Companion	1,596	L5-30	No	No 120/240V - 4-Blade Outlet
Honda	EU2600i	2,400	L5-30	No	No 120/240V - 4-Blade Outlet
Honda	EU3000ik	3,000	L5-30	No	No 120/240V - 4-Blade Outlet
Honda	EU3000is	2,400	L5-30	No	No 120/240V - 4-Blade Outlet
Honda	EU6500is	6,500	L14-30	Yes	Floating Neutral
Honda	EU6500isC2	6,500	L14-20	Yes	Floating Neutral
Honda	EU6500iS	6,500	L14-30	Yes	Floating Neutral
Honda	EU6500iSA	6,500	L14-30	Yes	Floating Neutral
Honda	EU7000i	7,000	L14-30	Yes	Floating Neutral
Honda	EU7000is	5,500	L14-30	Yes	Floating Neutral

Honda	EX3300S	3,000	L14-20	No	Unit is too small to get the GenerLink to transfer
Honda	EX3300SK1	3,000	L14-20	No	Unit is too small to get the GenerLink to transfer
Honda	EX4500	4,000	L14-30	Yes	Floating Neutral
Honda	EX4500SK1	4,000	L14-30	Yes	Floating Neutral
Honda	EX5500	5,000	L14-30	Yes	Floating Neutral
Honda	EX5500K1	5,000	L14-30	Yes	Floating Neutral
Honda	EX5500K2	5,000	L14-30	Yes	Floating Neutral
Honda	EZ3500	3,000	L14-20	No	Unit is too small to get the GenerLink to transfer
Honda	EZ5000	4,500	L14-20	Yes	Floating Neutral
Honda	PCCH350IS	3,500	L14-20	No	Unit is too small to get the GenerLink to transfer
Honda	PCH1000ISW	10,000	L14-30	Yes	
Honda	PCH450ISW	4,500	L14-20	Yes	Floating Neutral
Honda	PCH451CSW	4,500	L14-20	Yes	Floating Neutral
Honda	PCH650ISW	6,500	L14-30	Yes	Floating Neutral
Honda	PCPH350IS	3,500	L5-20	No	No four pronged 240V outlet
Honda	EM6500S2C	6,500	L14-20	Yes	Bonded Neutral
Honeywell	60320	10,000	None	No	GFCI Protected
Honeywell	60361	5,500	L14-30	Yes	Floating Neutral
Honeywell	60380	7,200	L14-30	Yes	Floating Neutral
Honeywell	60390	7,500	L14-30	Yes	Floating Neutral
Honeywell	HW5000E	5,000	L14-30	Yes	Floating Neutral
Honeywell	HW5000EL	5,000	L14-30	Yes	Floating Neutral
Honeywell	HW5000L	5,000	L14-30	Yes	Floating Neutral
Honeywell	HW5500E	5,500	L14-30	Yes	Floating Neutral
Honeywell	HW5500EL	5,500	L14-30	Yes	Floating Neutral
Honeywell	HW5500L	5,500	L14-30	Yes	Floating Neutral
Honeywell	HW5600C	5,600	L14-30	Yes	Floating Neutral
Honeywell	HW6200	6,000	L14-30	Yes	Floating Neutral
Honeywell	HW7000EH	7,000	L14-30	Yes	Floating Neutral
Honeywell	HW7500E	9,375	L14-30	Yes	Floating Neutral
HotMax	HM8000	6,500	L14-30	Yes	Floating Neutral
Husky	30436	5,000	L14-30	Yes	Floating Neutral
Husky	30436-01	5,000	L14-30	Yes	Bonded Neutral
Husky	30438	3,750	L5-20	No	No four pronged 240V outlet
Husky	HU405000	5,000	L14-20	Yes	Floating Neutral
Husky	HUCA5700	5,700	L14-30	Yes	Floating Neutral
Husky	HU5000	5,000	L14-20	Yes	Floating Neutral
Husqvarna	1365GN	6,500	L14-30	No	All receptacles are GFCI protected
Husqvarna	1935	6,500	L14-30	Yes	Floating Neutral
Husqvarna	1055GN	5,500	L14-30	Yes	Bonded Neutral
Hyundai	HCP6500D	6,500	L14-30	No	All receptacles are GFCI protected
Hyundai	HHD3500	3,000	L14-30	Yes	Floating Neutral
Hyundai	HHD6250	5,500	L14-30	Yes	Floating Neutral
Hyundai	HHD7250	6,500	L14-30	Yes	Floating Neutral
Interstate Lighting & Protection	ME 120HE2VG	12,000		No	
John Deere	10K PTO	9,600	6-50	No	No 120/240 - 4-Blade Outlet
John Deere	550GE	5,500	L14-20	Yes	Floating Neutral
John Deere	G5500KE	5,000	L14-20	Yes	Floating Neutral
John Deere	AC-G4010H	4,000	L14-20	Yes	Floating Neutral
John Deere	AC-G4300i	3,800	120V	No	No 120/240 - 4-Blade Outlet
John Deere	AC-G5010S	5,000	L14-20	Yes	Floating Neutral. Subaru Engine
John Deere	AC-G6010H	5,000	L14-20	Yes	Floating Neutral. Honda Engine
John Deere	AC-G6010HE	5,000	L14-20	Yes	Floating Neutral. Honda Engine
John Deere	AC-G6010S	5,000	L14-20	Yes	Floating Neutral. Subaru Engine
John Deere	AC-G6010SE	5,000	L14-20	Yes	Floating Neutral. Subaru Engine
John Deere	AC-G7510H	6,500	L14-30	Yes	Floating Neutral. Honda Engine
John Deere	AC-G7510HE	6,500	L14-30	Yes	Floating Neutral. Honda Engine
John Deere	AC-G8010S	6,900	L14-30	Yes	Floating Neutral. Subaru Engine
John Deere	AC-G8010SE	6,900	L14-30	Yes	Floating Neutral. Subaru Engine
John Deere	AG-G4010S	4,000	L14-20	Yes	Floating Neutral
John Deere	Gen-5000 OMSO	5,000	L14-20	No	GFCI, Bonded Neutral
John Deere	PR-G3200M	2,600	Duplex	No	No 120/240 - 4-Blade Outlet
John Deere	PR-G5500M	4,800	L14-20	Yes	Floating Neutral
John Deere	PR-G6000M	6,000	L14-30	Yes	Floating Neutral
John Deere	PR-G7500M	6,500	L14-30	Yes	Floating Neutral
John Deere	PR-G8000M-E	8,000	L14-30	Yes	Floating Neutral
King Canada	KCG-5625G	4,500	L14-30	Yes	Floating Neutral
King Canada	KCG-6500GE	5,500	L14-30	Yes	Floating Neutral
King Canada	KCG-7500G	5,500	L14-30	Yes	Floating Neutral
King Canada	KCG-7501GE	7,500	L14-30	Yes	Floating Neutral
King Canada	KCG-7501GE	7,500	L14-30	Yes	Floating Neutral
King Canada/PowerForce	KCG-6500GE	6,500	L14-30	Yes	Floating Neutral
King Canada	KCG-8500GE	6,250	L14-30	Yes	Floating Neutral
King Canada	KCG-9000GE	9,000	L14-30	Yes	Bonded Neutral
King Canada	KCG-10000GE	7,500	L14-30	Yes	Bonded Neutral

King Craft	6000	5,000	L14-30	Yes	Floating Neutral
Kingcraft	1705-6000W		L14-30	Yes	Floating Neutral
Kipor	IG6000	5,000	14-50	Yes	Floating Neutral
Kipor	KGE6000THi	6,000	14-50	Yes	Floating Neutral
Kipor	KGE6000Ti	5,000	14-50	Yes	Floating Neutral
Kodiak	SXA1900HX	1,600		No	No 120/240 - 4-Blade Outlet
Kodiak	SXA2800HX	2,400		No	No 120/240 - 4-Blade Outlet
Kodiak	SXB2800HX	2,400		No	No 120/240 - 4-Blade Outlet
Kodiak	SXB4000HX	3,600	L14-30	No	Unit is too small to get the GenerLink to transfer
Kodiak	SXB5500HX	4,500	L14-30	Yes	Bonded Neutral
Kodiak	SXB5500HXS	4,500	L14-30	Yes	Bonded Neutral
Kodiak	SXB7000HX	5,700	L14-30	Yes	Bonded Neutral
Kodiak	SXB7000HXS	5,700	L14-30	Yes	Bonded Neutral
Kohler	12RESL	12,000	Hardwire	No	Unit is too large
Kohler	12RESM1	12,000	Hardwire	No	Unit is too large
Kohler	GEN 5.0	5,000	L14-20	Yes	Floating Neutral
Kohler	GEN 5.2	5,200	L14-30	Yes	Floating Neutral
Kohler	PRO 7.5E	6,300	L14-30	Yes	Floating Neutral
Koshin	GEH14000EW	11,700	L14-30, 14-50	No	Unit is too large
Kubota	ARX6500B	4,500	L14-30	Yes	Floating Neutral
Kubota	AV6500-B	4,800	L14-30	Yes	Floating Neutral
Kubota	GL7000	7,000	L14-30 ONLY	Yes	Bonded Neutral
Kubota	GL7000KM	7,000	None	No	No 120/240V outlet
Kubota	GL11000	11,000	L14-30 ONLY	Yes	Bonded Neutral
Lifan	ES8000E	8,000	L14-30	Yes	Floating Neutral
Lifan	LF7000	6,000	L14-30	Yes	Floating Neutral
Lifan	LF7000i	6,000	L14-30	Yes	Floating Neutral
Lifan	LF7000i-wk	6,000	L14-30	Yes	Floating Neutral
Lincoln Electric	Power Arc 5500	4,000	L 5-20	No	No 120/240 - 4-Blade Outlet
Lincoln Electric	Eagle 10000	9,000	L14-50	Yes	Floating Neutral
Lincoln Electric	9113	6,000	Duplex	No	No 120/240V - 4-Blade Outlet
Lincoln Electric	Classic 300D	3,000	L14-20	No	Unit is too small to get the GenerLink to transfer
Lincoln Electric	Commander 500	12,000	14-50	No	Unit is too large
Lincoln Electric	Commander 300	10,000	14-50	Yes	Floating Neutral
Lincoln Electric	Ranger 225	9,000	14-50	Yes	Floating Neutral
Lincoln Electric	Ranger 250 GXT	10,000	14-50	No	GFCI
Lincoln Electric	Ranger 305D	9,500	14-50	Yes	Floating Neutral
Lincoln Electric	Ranger 305G	9,500	14-50	Yes	Floating Neutral
Lincoln Electric	Ranger 8 LPG	8,000	14-50	Yes	Floating Neutral
Lincoln Electric	Ranger 9	9,000	15-50	Yes	Floating Neutral
Lincoln Electric	SA-250 Perkins	10,000	None	No	Floating Neutral
Locker and Neuson	GPS 5600	5,600	14-30	No	Full panel GFCI
Magnum	33CSA3024		L14-30	Yes	Floating Neutral
Magnum	MLG25	25,000	L14-30	No	Unit is too large
Magnum	MPG6600E	6,600	L14-30	No	Full panel GFCI
Makita	G5500R	5,500	L5-30	No	No 4 blade outlet
Makita	G6100R	5,800	L14-20	Yes	Floating Neutral
Makita	G6101R	5,800	L14-20	Yes	Floating Neutral
Makita	MKG6100R	4,800	L14-20	Yes	Floating Neutral
Makita	MKG6101R	4,800	L14-20	Yes	Floating Neutral
Master	MGH10000	10,000	L14-30	Yes	Floating Neutral
Master	MGH4000C	4,000	L14-20	Yes	Floating Neutral
Master	MGH4000CI	4,000	L14-20	Yes	Floating Neutral
Master	MGH5000C	5,000	L14-20	Yes	Floating Neutral
Master	MGH5000CI	5,000	L14-20	Yes	Floating Neutral
Master	MGH5000CIE	5,000	L14-20	Yes	Floating Neutral
Master	MGH6000C	6,000	L14-20	Yes	Floating Neutral
Master	MGH6000CI	6,000	L14-20	Yes	Floating Neutral
Master	MGH7000C	7,000	L14-30	Yes	Floating Neutral
Master	MGH7000CI	7,000	L14-30	Yes	Floating Neutral
McCulloch	FG5700AK	5,130	L14-30	Yes	Floating Neutral
McCulloch	FG6000MK	6,000	L14-30	Yes	Floating Neutral
McCulloch	FG7000MA	7,800	L14-30	Yes	Floating Neutral
Milbank	MPG32501	3,250	5-20R	No	Not a compatible outlet
Milbank	MPG55003	5,500	L14-30	Yes	
Milbank	MPG6000S	6,000	L14-30	Yes	
Milbank	MPG6500E	6,500	L14-30	Yes	
Milbank	MPG70002E	7,000	L14-30	Yes	
Milbank	MPG75002E	7,500	L14-30	Yes	
Milbank	MPG100001E	10,000	14-50	No	Full panel GFCI
Miller	AEAD200LE	5,000	L5-30	No	No 120/240V - 4-Blade Outlet
Miller	Blue Star 6000	6,000	L14-30	Yes	Bonded Neutral
Miller	Bobcat 225	9,500	14-50	Yes	Floating Neutral
Miller	Bobcat 225G	8,000	14-50	Yes	Floating Neutral
Miller	Bobcat 225NT	9,500	14-50	Yes	Floating Neutral

Miller	Trailblazer 302G	10,000	14-50	Yes	Bonded Neutral
Miller	Trailblazer 301G	9,500	14-50	Yes	Floating Neutral
Miller	Trailblazer 302 Diesel	10,000	14-50	Yes	Bonded Neutral
Miller	Trailblazer 325	10,000	14-50	Yes	Bonded Neutral
Miller	Bobcat 250	10,500	14-50	Yes	Floating Neutral
Milwaukee	4970-24	7,000	L14-30	No	All receptacles are GFCI protected
Mi-T-M Corporation	Gen-3600-0MH0	3,600	L5-20	No	No four pronged 240V outlet
Mi-T-M Corporation	GEN-6000-0MH0	6,000	L14-30	Yes	Floating Neutral
Mitsubishi	MGE5800	5,800	L14-30	Yes	Bonded Neutral
Mitsubishi	MSMGE12000REU	9,500	L14-30	Yes	Floating Neutral
Mitsubishi	MSMGE4800REU	4,100	L14-30	Yes	Floating Neutral
Mitsubishi	MSMGE4800ROU	4,100	L14-30	Yes	Floating Neutral
Mitsubishi	MSMGE5800REU	5,000	L14-30	Yes	Floating Neutral
Mitsubishi	MSMGE5800ROU	5,000	L14-30	Yes	Floating Neutral
Mitsubishi	MSMGE6700REU	5,800	L14-30	Yes	Floating Neutral
Mitsubishi	MSMGE6700ROU	5,800	L14-30	Yes	Floating Neutral
Multiquip	9700	8,400	L14-30	Yes	Floating Neutral
Multiquip	DA7000SS	7,000	L14-30	Yes	Floating Neutral
Multiquip	DA7000SSA	7,000	L14-30	Yes	Floating Neutral
Multiquip	DA7000SSW	7,000	L14-30	Yes	Floating Neutral
Multiquip	DA7000WGH	7,000	L14-30	Yes	Floating Neutral
Multiquip	DCA25USI	22,000		No	Unit is too large
Multiquip	GA6HZ	5,000	L5-30/L6-20	No	No 120/240V - 4-Blade Outlet
Multiquip	GA97HE	9,700	L14-30	Yes	Floating Neutral
Multiquip	GA97HZ	8,400	L14-30	Yes	Floating Neutral
North Star	165601	4,500	L14-30	Yes	Bonded Neutral
North Star	165603	6,600	L14-30	Yes	Bonded Neutral
North Star	165604	6,000	L14-30	Yes	Bonded Neutral
North Star	165605	8,500	L14-30 or 14-50	Yes	Bonded Neutral
North Star	165606	10,000	L14-30 or 14-50	Yes	Bonded Neutral
North Star	165607	13,500	L14-30	No	Unit is too large
North Star	165911	4,500	L14-20	Yes	Bonded Neutral
North Star	165914	6,600	L14-30	Yes	Bonded Neutral
North Star	165917	10,000	L14-30 or 14-50	Yes	Bonded Neutral
North Star	165920	6,600	L14-30	Yes	Bonded Neutral
North Star	165923	10,500	L14-30 or 14-50	Yes	Bonded Neutral
North Star	165926	4,500	L14-20	Yes	Bonded Neutral
North Star	165928	9,600	14-50	Yes	Bonded Neutral
North Star	165938	8,000	L14-30	Yes	Bonded Neutral
North Star	165950	4,000	L14-20	Yes	Bonded Neutral
North Star	165957	8,000	L14-30	Yes	Bonded Neutral
North Star	165967	8,500	L14-30 or 14-50	Yes	Bonded Neutral
North Star	165930	6,500	L14-30	Yes	Bonded Neutral
North Star	M165923AB	10,500	L14-30 or 14-50	Yes	Bonded Neutral
North Star	M165938Q	6,600	L14-30	Yes	Bonded Neutral
North Star	165929	12,000	14-50	No	Unit is too large
North Star	165951	7,200	L14-30	Yes	Floating Neutral
Northern Tool	10622	6,800	L14-30	Yes	Floating Neutral
NorthShore	NSP7000EH	7,000	L14-30	Yes	Floating Neutral
Onan	4.0BGE-FA26100	4,000		No	Does not have a compatible receptacle
Onan	4.0BGE-FA/26110	4,000		No	Does not have a compatible receptacle
Onan	6500	5,000	L14-30	Yes	Bonded Neutral
Onan	EM 45	45,000		No	Unit is too large
Pentagon	PT4400/E	4,400	L14-30	Yes	Floating Neutral
Pentagon	PT8500E	7,000	L14-30		Floating Neutral
Polaris	P3000ie	3,000	L5-30	No	Unit is too small. No 120/240 outlet.
Polaris	P7500E	7,300	L14-30		
Polaris	P7500	7,300	L14-30		
Porter-Cable	BSI525-W	5,250	L14-20	Yes	Floating Neutral
Porter-Cable	H1000	10,000	L14-30 or L14-50	Yes	Floating Neutral
Porter-Cable	PCBSI525W	5,250	L14-30	Yes	Floating Neutral
Porter-Cable	PCBSI550W	5,500	L14-30	Yes	Floating Neutral
Porter-Cable	PCBSV750W	7,500	L14-30	Yes	Floating Neutral
Porter-Cable	PCCH3500IS	3,500	L14-20	No	Unit is too small to get the GenerLink to transfer
Porter-Cable	PCGT5250WK	5,250	L14-30	Yes	Floating Neutral
Porter-Cable	PCH1000ISW	10,000	L14-30	Yes	Floating Neutral
Porter-Cable	PCH450ISW	4,500	L14-30	Yes	Floating Neutral
Porter-Cable	PCH451CSW	4,500	L14-20	Yes	Floating Neutral
Porter-Cable	PCH650ISW	6,500	L14-30	Yes	Floating Neutral
Poulan Pro	PP4300	4,300	L14-30	Yes	Floating Neutral
Poulan Pro	PP6600	6,600	L14-30	Yes	Floating Neutral
Poulan Pro	PP6600E	6,600	L14-30	Yes	Floating Neutral
Poulan Pro	PP7600E	7,600	L14-30	Yes	Floating Neutral
Power Fist	6500W	6,500	L14-30	Yes	Bonded Neutral
Power Pro	4050	3,250	L5-30	No	No 120/240V - 4-Blade Outlet

Power Pro	56405	4,050	None	No	No 120/240V - 4-Blade Outlet
Power Pro	56680	6,800	L14-30	Yes	Floating Neutral
Power Pro	56875	7,000	L14-30	Yes	Floating Neutral
Power Stroke	PS903500A	3,500	None	No	No 120/240 - 4-Blade Outlet
Power Stroke	PS905000	5,000	L14-20	Yes	Bonded Neutral
Power Stroke	PS906025	6,000	L14-30	Yes	Bonded Neutral
Power Stroke	PS907000	6,800	L14-30	Yes	Bonded Neutral
Power Train	PT13000EG	8,500	L14-30	Yes	Floating Neutral
Power Train	PTG3500EXCS	3,500	L14-20	No	Unit is too small to get the GenerLink to transfer
Power Train	PTG4500XCS	4,500	L14-20	Yes	Floating Neutral
Power Train	PTG6500EXCS	6,500	L14-30	Yes	Floating Neutral
PowerBack	GBFE6010	6,000	L14-20	Yes	Floating Neutral
PowerBack	GT5000C	5,000	L14-20	Yes	Floating Neutral
PowerBack	GT5000C-1	5,000	L14-20	Yes	Floating Neutral
PowerBack	GT5250-WK-2	5,250	L14-20	Yes	Floating Neutral
PowerBack	GT5251-1	5,250	L14-20	Yes	Floating Neutral
PowerBOSS	1642-0	5,500	L14-30	Yes	Floating Neutral
PowerBOSS	1642-2	5,500	L14-30	Yes	Floating Neutral
PowerBOSS	30217	5,250	L14-30	Yes	Floating Neutral
PowerBOSS	30220	7,000	L14-30	Yes	Bonded Neutral. By Briggs & Stratton
PowerBOSS	30230	5,600	L14-30	Yes	Bonded Neutral
PowerBOSS	30249	5,500	L14-30	Yes	Bonded Neutral. By Briggs & Stratton
PowerBOSS	30359	7,000	L14-30	Yes	Bonded Neutral. By Briggs & Stratton
PowerBOSS	01648-1	4,500	L14-30	Yes	Bonded Neutral
Powerease	BE-9000ER	9,000	L14-30	Yes	Floating Neutral
Powerease	MN9000ER	9,000	L14-30	Yes	Floating Neutral
PowerHorse	166114	7,250	L14-30	Yes	Floating Neutral
PowerHorse	M166112B	3,100	L14-30	No	Unit is too small to get the GenerLink to transfer
PowerHorse	M166113B	7,000	L14-30	Yes	Bonded Neutral
PowerHorse	M166114B.2	7,250	L14-30	Yes	Floating Neutral
PowerHorse	M799215A.3	10,000	L14-30 or 14-50	Yes	Bonded Neutral
PowerHouse	PH3100Ri	3,100	L5-30	No	No 120/240V - 4-Blade Outlet
Powerland	PD3G8500E	7,000	L14-30	Yes	Floating Neutral
Powerland	PD8500e	8,500	L14-30	Yes	Floating Neutral
Powerland	PD10000E	10,000	L14-30 or 14-50	Yes	Floating Neutral
Powerland	PD3G10000E	8,000	L14-30 or 14-50	Yes	Floating Neutral
Powerland	PD6500E	6,875	L14-30	Yes	Floating Neutral
Powermate	PM0125500	5,500	L14-30	Yes	Floating Neutral
PowerMax	XP10000E	10,000	L14-30 or 14-50	Yes	Floating Neutral
PowerMax	XP4400	4,400	L14-30	Yes	Floating Neutral
PowerTEC	DFD9000H	7,000	L14-30	Yes	Bonded Neutral
PRAMAC	S14000	11,700	L14-30 or 14-50	No	Unit is too large
PRAMAC	S5000	5,000	L14-20	Yes	Bonded Neutral
Predator	61725	11,000	14-50	Yes	Bonded Neutral
Predator	63085	7,000	L14-30	Yes	Bonded Neutral
Predator	63086	7,000	L14-30	Yes	Bonded Neutral
Predator	63088	7,000	L14-30	Yes	Bonded Neutral
Predator	68526	6,500	L14-30	Yes	Bonded Neutral
Predator	68525	8,750	L14-30	Yes	Bonded Neutral
Predator	68529	6,500	L14-30	Yes	Bonded Neutral
Predator	68530	8,750	L14-30	Yes	Bonded Neutral
Predator	69675	3,200	L14-30	No	Unit is too small
Predator	69676	3,200	L14-30	No	Unit is too small
Predator	69671	7,000	L14-30	Yes	Bonded Neutral
Predator	69677	7,000	L14-30	Yes	Bonded Neutral
Predator	69728	3,200	L14-30	No	Unit is too small
Predator	69729	3,200	L14-30	No	Unit is too small
Princess Auto	PowerFist 6500	6,500	L14-30	Yes	Floating Neutral
Pro Force	PM0106000	6,000	L14-30	Yes	Floating Neutral
Pro-Point	9,250W	7,500	L14-30	Yes	Bonded Neutral
Pro-Quip	Q7.7K	7,700	L14-30	Yes	Bonded Neutral
Pro-Quip	Q8.3K	5,000	L14-30	Yes	Bonded Neutral
Pulsar	PG6000	6,000	L14-30	Yes	Bonded Neutral
Pulsar	PG7750B	6,250	L14-30	Yes	Bonded Neutral
Pulsar	PG7500	7,500	L14-30	Yes	Bonded Neutral
Pulsar	PG10000	10,000	L14-30 or 14-50	Yes	Bonded Neutral
Ranger 10000	IM819-B	9,000	14-50	Yes	Floating Neutral
Ranger 10000 Plus	IM925	9,000	14-50	Yes	Floating Neutral
Ranger305G	K1726-5	9,500		No	Double Pole Circuit Breaker
Raven	GEN6500E	5,500	L14-30	Yes	Floating Neutral
Reddy	RGH1100IE	10,000	L14-30 or 14-50	Yes	Floating Neutral
Reddy	RGH3000	2,500	Duplex	No	Floating Neutral
Reddy	RGH3000PR	2,500	Duplex	No	Floating Neutral
Reddy	RGH5500	5,000	L14-20	Yes	Floating Neutral
Reddy	RGH5500IE	5,000	L14-20	Yes	Floating Neutral

Reddy	RGH7500IE	7,000	L14-30	Yes	Floating Neutral
RedHawk Electric Generators	ETDG4LE	4,500	L14-30	Yes	Floating Neutral
RedHawk Electric Generators	ETDG4LN	3,600	L14-30	No	Unit is too small to get the GenerLink to transfer
RedHawk Electric Generators	ETDG6LE	6,500	L14-30	Yes	Floating Neutral
RedHawk Electric Generators	ETDG6LN	3,600	L14-30	No	Unit is too small to get the GenerLink to transfer
RedHawk Electric Generators	ETDWG6LER	3,600	L14-20	No	Unit is too small to get the GenerLink to transfer
Ridgid	RD6800	6,800	L14-30	Yes	Floating Neutral
Ridgid	RD680011	6,800	L14-30	Yes	Floating Neutral
Ridgid	RD7000	7,000	L14-30	Yes	Floating Neutral
Ridgid	RD8000	8,000	L14-30	Yes	Floating Neutral
Ridgid	RD8011	8,000	L14-30	Yes	Floating Neutral
Ridgid	RD906500P	6,500	L14-30	Yes	Floating Neutral
Ridgid	RD905712	5,700	L14-30	Yes	Bonded Neutral
Ridgid	RD906812	6,800	L14-30	Yes	Floating Neutral
Ridgid	RD906812B	6,800	L14-30	Yes	Floating Neutral
Ridgid	RD906814	6,800	L14-30	Yes	Bonded Neutral
Ridgid	RD906814P	6,800	L14-30	Yes	Bonded Neutral
Ridgid	RD907000P	7,000	L14-30	Yes	Bonded Neutral
Rigid	RD907500P	7,500	L14-30	Yes	Bonded Neutral
Ridgid	RD9C7000AG	7,000	L14-30	Yes	Floating Neutral
Ridgid	RDCA6800	6,800	L14-30	Yes	Floating Neutral
Ridgid	RDCA7000	7,000	L14-30	Yes	Floating Neutral
Ridgid	RD9C7000BG	7,000	L14-30	Yes	Floating Neutral
Robin Subaru	RG4300SI	3,800	L5-30	No	
Robin Subaru	RGD3300H	3,000	L14-20	No	Unit is too small to get the GenerLink to transfer
Robin Subaru	RGV12100	10,000	L14-30	Yes	Floating Neutral. Can't use 14-50 because it is a twist lock
Robin Subaru	RGV4100	3,600	L14-20	No	Unit is too small to get the GenerLink to transfer
Robin Subaru	RGV4100E	3,000	L14-20	No	Unit is too small to get the GenerLink to transfer
Robin Subaru	RGV6100	4,800	L14-20	Yes	Floating Neutral
Robin Subaru	RGV6100E	4,800	L14-20	Yes	Floating Neutral. E = Electric Start
Robin Subaru	RGV7500	6,000	L14-30	Yes	Floating Neutral
Robin Subaru	RGV7500E	6,000	L14-30	Yes	Floating Neutral. E = Electric Start
Robin Subaru	SGX3500	3,200	L14-20	No	Unit is too small to get the GenerLink to transfer
Rural King	6500e	6,500	L14-30	Yes	Floating Neutral
Rural King	8000e	6,500	L14-30	Yes	Floating Neutral
Rural King	10000e	8,000	L14-30	Yes	Floating Neutral
Ryobi	RY903600	3,600	L5-30	No	No 120/240V - 4-Blade Outlet Too Small
Smarter Tools	GP4750EB	3,600	L5-30	No	No 120/240V - 4-Blade Outlet
Smarter Tools	GP6500DEB	5,200	L14-30	Yes	Floating Neutral
Smarter Tools	GP7500DEB	7,500	L14-30	Yes	Floating Neutral
Smarter Tools	GP9500EB	7,500	L14-30	Yes	Bonded Neutral
Snapper by Generac	1668-0	5,500	L14-30	Yes	Bonded Neutral
Sportsman	800517	9,000	L14-30	Yes	Bonded Neutral
Sportsman	800517	7,200	L14-30	Yes	Bonded Neutral
Sportsman	GEN4000LP	3,250	L5-30	No	No 120/240V - 4-Blade Outlet
Sportsman	GEN7000	6,000	L14-30	Yes	Floating Neutral
Sportsman	GEN7000LP	6,000	L14-30	Yes	Floating Neutral
Sportsman	GEN7500DF	6,000	L14-30	Yes	Bonded Neutral
Sportsman	GENTRI10	8,500	L14-30	Yes	Bonded Neutral
Stanley	G5000S	5,000	L14-30	Yes	Floating Neutral
Stanley	G8000S	8,000	L14-30	Yes	Floating Neutral
Steele	SP-GG1000E	8,200	L14-30	Yes	Floating Neutral
Steele	SP-GG600	6,000	L14-30	Yes	Floating Neutral
Steele	SP-GG750E	6,000	L14-30	Yes	Floating Neutral
Steele	SP-GG900E	7,500	L14-30	Yes	Floating Neutral
Subaru	RGX7500	7,500	L14-30	Yes	Floating Neutral
Subaru	SGX3500	3,500	L14-20	No	Unit is too small to get the GenerLink to transfer
Subaru	SGX5000	4,500	L14-20	Yes	Floating Neutral
Subaru	SGX7500	7,500	L14-30	Yes	Floating Neutral
Surge Master	SM5000CH	5,000	L14-30	Yes	Bonded Neutral
SYCAMORE	APX 6	6,000	L14-30	Yes	Floating Neutral
Tahoe	TI10000LXI	10,000	L14-30 and 14-50	Yes	Floating Neutral
Tahoe	TI10000LXIT	10,000	L14-30 and 14-50	Yes	Floating Neutral
Tahoe	TI10000LXR	10,000	14-50	Yes	Floating Neutral
Tahoe	TI7000LXR	7,000	L14-30	Yes	Floating Neutral
Tahoe	TI9000	9,000	14-50	Yes	Floating Neutral. Tri-Fuel
Titan Worldwide	HYSJD2000	2,000	None	No	Not big enough/ No 120/240V outlet
Titan Worldwide	HYSJD3000	3,000	None	No	Not big enough/ No 120/240V outlet
Titan Worldwide	HYSJD6500	6,500	L14-30	Yes	Bonded Neutral
Titan	TG5500D	4,200	L14-20	Yes	Floating Neutral
Titan	TG7500D	6,000	L14-20	Yes	Floating Neutral
Titan	TG8000	7,200	L14-30	Yes	Floating Neutral
Tool Shed	6500MAN	5,500	L14-30	Yes	Floating Neutral
Triple-Fuel Honda	3397	13,750	14-50	No	Unit is to large

Troy Built	30341	5,500	L14-30	Yes	Floating Neutral
Troy-Bilt	1919	5,550	L14-30	Yes	Floating Neutral
Troy-Bilt	1923	900	5-5R	No	No 120/240V - 4-Blade Outlet
Troy-Bilt	1924	3,550	L14-20	No	Unit is too small to get the GenerLink to transfer
Troy-Bilt	1925	7,550	L14-30	Yes	Floating Neutral
Troy-Bilt	3245	5,550	L14-30	Yes	Floating Neutral
Troy-Bilt	30237	7,800	L14-30	Yes	Floating Neutral
Troy-Bilt	30245	5,500	L14-30	Yes	Floating Neutral
Troy-Bilt	30247	8,000	L14-30	Yes	Floating Neutral
Troy-Bilt	30248	3,550	Duplex Only	No	No 120/240 - 4-Blade Outlet
Troy-Bilt	30343	5,000	L14-30	Yes	Bonded Neutral
Troy-Bilt	30378	3,500	L14-20	No	Unit is too small to get the GenerLink to transfer
Troy-Bilt	30387	3,250	L14-30	No	Unit is too small to get the GenerLink to transfer
Troy-Bilt	30387	8,000	L14-30	Yes	Bonded Neutral
Troy-Bilt	30431	5,500	L14-30	Yes	Floating Neutral
Troy-Bilt	30432	6,200	L14-30	Yes	Floating Neutral
Troy-Bilt	30475	6,000	L14-30	Yes	Floating Neutral
Troy-Bilt	30477	7,000	L14-30	Yes	Floating Neutral
Troy-Bilt	30478	7,000	L14-30	Yes	Floating Neutral
Troy-Bilt	30594	6,250	L14-30	Yes	Floating Neutral
True Life	12000	12,000	L14-30	No	Unit is too Large
Tsurumi	TPG2900H-DX	2,900	Duplex Only	No	No 120/240V - 4-Blade Outlet
Tsurumi	TPG3-6000HDX	5,000	L14-20 OR L14-30	Yes	Floating Neutral
Tsurumi	TPG-4300H-DX	4,300	L14-20	Yes	Floating Neutral
Tsurumi	TPG-6000H-DX	6,000	L14-20	Yes	Floating Neutral
United Power	9000RC	9,000	L14-30	Yes	Bonded Neutral
United Power System	UPD6500	6,500	L14-30	Yes	Floating Neutral
UST	GG3500	3,500	Duplex Only	No	No 120/240V - 4-Blade Outlet
UST	GG5500	5,500	Duplex Only	No	No 120/240V - 4-Blade Outlet
UST	GG7500	7,500	L14-30	Yes	Floating Neutral
Valsi	G80MG1500KWAE	7,000	L14-30	Yes	Bonded Neutral
Ventrac	HG150	12,500	L14-30 and 14-50	No	Unit is too Large
Voltmaster	AR100	9,500	L14-30	Yes	Floating Neutral
Voltmaster	LR60EL	5,000	L14-20	Yes	Floating Neutral
Voltmaster	PTO 15/12	12,000	14-50	No	Unit is too Large
Wacker Neuson GP5600A	620979	5,600		No	Full panel GFCI
Wacker Neuson GP5600A	620983	5,600		No	Full panel GFCI
Wacker Neuson GPS5600A	620981	5,600		No	Full panel GFCI
Wacker Neuson GP6600A	GP6600A	6,000	L14-30	Yes	Bonded Neutral
Wallenstein	EC2500	2,100	Duplex	No	No 120/240 - 4-Blade Outlet
Wallenstein	EC2600	2,300	Duplex	No	No 120/240 - 4-Blade Outlet
Wallenstein	EC3300	3,000	120V	No	No 120/240 - 4-Blade Outlet
Wallenstein	EC5000	4,500	L14-30	Yes	Floating Neutral
Wallenstein	EC5000GFI	4,500	20A Duplex	No	GFCI Protected
Wallenstein	EU5000	4,500	L14-30	Yes	Bonded Neutral
Wallenstein	EU5000E	4,500	L14-30	Yes	Bonded Neutral
Wallenstein	EU6000	5,000	L14-30	Yes	Bonded Neutral
Wallenstein	EU6000E	5,000	L14-30	Yes	Bonded Neutral
Wallenstein	GF6000A	6,000	L14-30	Yes	Bonded Neutral
Wallenstein	GF7200EA	7,200	L14-30	Yes	Bonded Neutral
Wallenstein	EU7200E	6,500	L14-30	Yes	Bonded Neutral
Wallenstein	HUF12000E	12,000	14-50	No	Unit is too Large
Wallenstein	HUF12000EA	12,000	14-50	No	Unit is too Large
Wallenstein	HUF1222E	12,000	14-50	No	Unit is too Large
Wallenstein	HUF1222EA	12,000	14-50	No	Unit is too Large
WEN	56351	3,500	L14-20	No	Unit is too small to get the GenerLink to transfer
WEN	56352	3,000	L14-30	No	Unit is too small to get the GenerLink to transfer
WEN	56475	3,750	120V	No	No 120/240 - 4-Blade Outlet
WEN	56551	5,500	L14-30	Yes	Floating Neutral
WEN	56877	7,000	L14-30	Yes	Floating Neutral
Western Rugged	24529	7,200	L14-30	Yes	Bonded Neutral
Westinghouse	WH3250	3,750	L14-30 Verify	Yes/No	Bonded Neutral
Westinghouse	WH3250C	3,750	L14-30 Verify	Yes/No	Bonded Neutral
Westinghouse	WH4500	4,500	L14-30	Yes	Bonded Neutral
Westinghouse	WH4500C	4,500	L14-30	Yes	Bonded Neutral
Westinghouse	WH5500	6,750	L14-30	Yes	Bonded Neutral
Westinghouse	WH6000	6,000	L14-30	Yes	Bonded Neutral
Westinghouse	WH6000C	6,000	L14-30	Yes	Bonded Neutral
Westinghouse	WH6000S	6,000	L14-30	Yes	Bonded Neutral
Westinghouse	WH6500E	6,500	L14-30	Yes	Bonded Neutral
Westinghouse	WH7000	7,000	L14-30	Yes	Bonded Neutral
Westinghouse	WH7000C	7,000	L14-30	Yes	Bonded Neutral
Westinghouse	WH7000E	7,000	L14-30	Yes	Bonded Neutral
Westinghouse	WH7000EC	7,000	L14-30	Yes	Bonded Neutral
Westinghouse	WH7500E	7,500	L14-30	Yes	Bonded Neutral



Wildfire	WF6500BEW	6,500	L14-30	Yes	Floating Neutral
Wildfire	WF7000EW	7,000	L14-30	Yes	Floating Neutral
Winco	HPS12000HE	12,000	L14-30	No	Unit is too Large
Winco	HPS12000HE/A	12,000	L14-30	No	Unit is too Large
Winco	HPS6000E	6,000	L14-30	Yes	Floating Neutral
Winco	HPS6000HE/A	6,000	L14-30	Yes	Floating Neutral
Winco	HPS9000E	9,000	L14-30	Yes	Floating Neutral
Winco	PSS8B4W	8,000	Hardwire Only	Yes	Floating Neutral
Winco	W15PTOS	15,000		No	Unit is too large
Winco	CSADL6000E	6,000	L14-30	Yes	Bonded Neutral
Winco	D3000H	2,300	5-20	No	Too Small; No 120/240V - 4-Blade Outlet
Winco	DL5000H	4,500	L14-30	Yes	Floating Neutral
Winco	DL6000H	5,500	L14-30	Yes	Floating Neutral
Winco	DL6000HE	5,500	L14-30	Yes	Floating Neutral
Winco	DL6000I	5,500	L14-30	Yes	Floating Neutral
Winco	DL6000IE	5,500	L14-30	Yes	Floating Neutral
Winco	DL9000H	8,000	L14-30	Yes	Floating Neutral
Winco	HPS12000HE	10,800	L14-30	Yes	Floating Neutral
Winco	HPS6000E	5,500	L14-30	Yes	Floating Neutral
Winco	HPS9000VE	8,000	L14-30	Yes	Floating Neutral
Winco	HPS12000HE	10,800	L14-30	Yes	Floating Neutral <b>Must only use L14-30</b>
Winco	WC5000H	4,500	L14-30	Yes	Floating Neutral
Winco	WC12000HE	10,800		No	Unit is too large
Winco	WC10000VE	9,600		No	Unit does not have compatible outlets
Winco Dyna	DLC4500	4,500	L14-30	Yes	Bonded Neutral
Winco Dyna	DLC6000E	6,000	L14-30	Yes	Bonded Neutral
Winco Dyna	LLC5000H	5,000	L14-30	Yes	Bonded Neutral
Winco Dyna	LLC6000	6,000	L14-30	Yes	Bonded Neutral
Winco Dyna	CSADL6000I	6,000	L14-30	Yes	Bonded Neutral
Winpower	COV4400HE	4,000	L14-30	Yes	Bonded Neutral
Winpower	COV6500HE	6,000	L14-30	Yes	Bonded Neutral
Winpower	25/15PTCD			No	Unit is too large, No 120/240V- 4 Blade Outlet
Winpower	CHD11000KES	11,000		No	Unit is too large.
Xstream	X9000E	9,000	L14-30	Yes	Bonded Neutral
Yamaha	Diesel EDL6500S	6,000	L14-30	Yes	Floating Neutral
Yamaha	EDL 11000 SDE	10,000	14-50	Yes	Bonded Neutral
Yamaha	EF1000IS	900	Duplex	No	Too Small; No 120/240V - 4-Blade Outlet
Yamaha	EF1200DE	9,500	L14-30	Yes	Floating Neutral
Yamaha	EF2000IS	1,600	Duplex	No	Too Small; No 120/240V - 4-Blade Outlet
Yamaha	EF2400IS-HC	2,000	Duplex	No	Too Small; No 120/240V - 4-Blade Outlet
Yamaha	EF2600	2,300	L5-20	No	Too Small; No 120/240V - 4-Blade Outlet
Yamaha	EF2800i	2,500	L5-30	No	Too Small; No 120/240V - 4-Blade Outlet
Yamaha	EF3000iSE	2,800	L5-30	No	Too Small; No 120/240V - 4-Blade Outlet
Yamaha	EF3000iSEB	2,800	L5-30	No	Too Small; No 120/240V - 4-Blade Outlet
Yamaha	EF3800	3,800	L14-20	Yes	Floating Neutral
Yamaha	EF3800E	3,800		No	120 Volts
Yamaha	EF4000DE	3,500	L14-20	Yes	Floating Neutral
Yamaha	EF4500iSE	4,000	L5-30	No	No 120/240V - 4-Blade Outlet
Yamaha	EF5500P	4,500	L14-30	No	Full panel GFCI
Yamaha	EF7200P	6,000	L14-30	No	Full panel GFCI
Yamaha	EF4600DX	4,000	L14-20	Yes	Bonded Neutral
Yamaha	EF5500DE	4,500	L14-30	Yes	Bonded Neutral
Yamaha	EF5200DE	4,500	L14-20	Yes	Bonded Neutral
Yamaha	EF6200PDEX	5,500	L14-30	Yes	Bonded Neutral
Yamaha	EF6300iSDE	5,500	L14-30	Yes	Bonded Neutral
Yamaha	EF6600DE	6,000	L14-30	Yes	Bonded Neutral
Yamaha	EF6600DEX	6,000	L14-30	Yes	Bonded Neutral
Yamaha	EF7200DE	7,200	L14-30	Yes	Bonded Neutral
Yamaha	YG2800i	2,500	L5-30	No	No 120/240V - 4-Blade Outlet
Yamaha	YG4000D	3,500	L14-20	No	Unit is too small to get the GenerLink to transfer
Yamaha	YG5200D	4,500	L14-20	Yes	Floating Neutral
Yamaha	YG6600D	6,000	L14-30	Yes	Floating Neutral
Yamaha	YG6600DE	6,000	L14-30	Yes	Floating Neutral
Yamakoyo	SH2900DX	2,900	Duplex	No	No 120/240V - 4-Blade Outlet
Yamakoyo	SH3500DXE	3,500	Duplex	No	No 120/240V - 4-Blade Outlet
Yamakoyo	SH5000DXE	5,000	L14-30	Yes	Floating Neutral
Yamakoyo	SH6000DXE	6,000	L14-30	Yes	Floating Neutral
Yamakoyo	SH7000DXE	7,000	L14-30	Yes	Floating Neutral
Yamakoyo	SH7500DXE	7,500	L14-30	Yes	Floating Neutral
Yamakoyo	SH8000DXE	8,000	L14-30	Yes	Floating Neutral
Yanmar	6500	6,500	L14-30	Yes	Bonded Neutral
Yihua	TFW-2			No	Does not have a compatible receptacle

















# GenerLink Compatible Generator Guide

<i>Manufacturer</i>	<i>Model Number</i>	<i>Wattage</i>	<i>Plug Type</i>	<i>Compatible</i>	<i>Notes</i>
All Power American	APG3002	2,800	L14-30	Yes	Floating Neutral
All Power American	APG3005	6,500	L14-30	Yes	Floating Neutral
All Power American	APG3009	5,000	L14-30	Yes	Floating Neutral
All Power American	APG3075	6,000	L14-30	Yes	Floating Neutral
All Power American	APG3090	7,500	L14-30	Yes	Floating Neutral
All Power American	APG3304	7,500	L14-30	Yes	Floating Neutral
All Power American	APG3001	3,500	L14-30	Yes	Floating Neutral
Amico	AH6000LE	6,000	L14-20	Yes	Floating Neutral
Amico	AH6000LE	6,000	L14-20	Yes	Floating Neutral
Baldor (Premier)	OHV90E	8,000	L14-30	Yes	Floating Neutral
BE Powerease	9000ER	7,100	L14-30	Yes	Floating Neutral
BE Pressure Supply	VI-6500	6,500	L14-30	Yes	Floating Neutral
BE Pressure Supply	VI-9000	7,500	L14-30	Yes	Floating Neutral
Black Max	BM10700	7,000	L14-30	Yes	Floating Neutral
Black Max	BM10722	7,000	L14-30	Yes	Floating Neutral
Black Max	PM0435255		L14-20	Yes	Floating Neutral
Black Max	PM0435255		L14-20	Yes	Floating Neutral
Black Max	PM0496750	6,750	L14-30	Yes	Floating Neutral
Black Max	PM0497002	7,000	L14-30	Yes	Floating Neutral
Campbell Hausfeld	GM45110		L14-20	Yes	Floating Neutral
Champion	40050	5,500	L14-30	Yes	Floating Neutral
Champion	41115	5,000	L14-30	Yes	Floating Neutral
Champion	41115	5,000	L14-30	Yes	Floating Neutral
Champion	41154	5,500	L14-30	Yes	Floating Neutral
Champion	41302	6,000	L14-30	Yes	Floating Neutral
Champion	41513	7,000	L14-30	Yes	Floating Neutral
Champion	41532	7,000	L14-30	Yes	Floating Neutral
Champion	41532	7,000	L14-30	Yes	Floating Neutral
Champion	41537	7,500	L14-30	Yes	Floating Neutral
Champion	41537	7,500	L14-30	Yes	Floating Neutral
Champion	41552	7,200	L14-30	Yes	Floating Neutral
Champion	41552	7,200	L14-30	Yes	Floating Neutral
Champion	46535	2,800	L14-20	Yes	Floating Neutral
Champion	46535	2,800	L14-20	Yes	Floating Neutral
Champion	CSA 40017	6,500	L14-30	Yes	Floating Neutral
Champion	CSA 41155	5,500	L14-30	Yes	Floating Neutral
Champion	41135	5,500	L14-30	Yes	Floating Neutral
Champion	41154	5,500	L14-30	Yes	Floating Neutral
Champion	41311	6,000	L14-30	Yes	Floating Neutral
Champion	41351	6,500	L14-30	Yes	Floating Neutral
Champion	41513	7,000	L14-30	Yes	Floating Neutral
Champion	41553	7,200	L14-30	Yes	Floating Neutral
Champion	41553	7,200	L14-30	Yes	Floating Neutral
Champion	C46540	4,000	L14-20	Yes	Floating Neutral

Champion	CSA40036	5,500	L14-30	Yes	Floating Neutral
Champion	CSA40036	5,500	L14-30	Yes	Floating Neutral
Chicago	40827	10,000	L14-30 or L14-50	Yes	Floating Neutral
Chicago	40827	10,000	L14-30 or L14-50	Yes	Floating Neutral
Chicago	66604	6,500	L14-30	Yes	Floating Neutral
Chicago	95960	7,000	L14-30	Yes	Floating Neutral
Chicago	98838	5,500	L14-30	Yes	Floating Neutral
Coleman Maxa ER Plus	PM0525312	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	COPM049650417	6,500	L14-20	Yes	Floating Neutral
Coleman Powermate	COPM052530203	5,000	L14-30	Yes	Floating Neutral
Coleman Powermate	COPM052531217	5,000	L14-30	Yes	Floating Neutral
Coleman Powermate	COPM0545003	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	COPM054500401	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PC0435001	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PC0495503	6,875	L14-30	Yes	Floating Neutral
Coleman Powermate	PC0496752	6,750	L14-30	Yes	Floating Neutral
Coleman Powermate	PC0525300.19		L14-30	Yes	Floating Neutral
Coleman Powermate	PC0525302.02	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PC0525304	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PC0545007		L14-20	Yes	Floating Neutral
Coleman Powermate	PC0545305.02	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PC0545305.17	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PC0675500	5,500	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0106507	6,500	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0418000	8,000	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0434600	4,600	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0435000	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0435001	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0463300.01	3,250	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0495503	5,500	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0497000	7,000	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0525202.02	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0525202.03	5000 KW	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0525300	5,500	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0525303	5,000	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0535000	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0535202.04	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0543250.01	3,250	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0545	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0545003	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0545004	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0545004.17	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0545005	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0545006	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0545007.01		L14-20	Yes	Floating Neutral
Coleman Powermate	PM0545008		L14-20	Yes	Floating Neutral
Coleman Powermate	PM0545008		L14-20	Yes	Floating Neutral

Coleman Powermate	PM0545305.02	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0545305.17	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM0558023.01	8,000	14-50	Yes	Floating Neutral
Coleman Powermate	PM0605000	5,000	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0606500	6,500	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0606750	6,750	L14-30	Yes	Floating Neutral
Coleman Powermate	PM0675700	5,700	L14-30	Yes	Floating Neutral
Coleman Powermate	PM525302.17	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PM525303	5,000	L14-30	Yes	Floating Neutral
Coleman Powermate	PMA505622	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	PMA525500	5,500	L14-20	Yes	Floating Neutral
Coleman Powermate	PMC525501	5,500	L14-20	Yes	Floating Neutral
Coleman Powermate	Premium Plus	6,250	L14-30	Yes	Floating Neutral
Coleman Powermate	RPM052500	5,500	L14-20	Yes	Floating Neutral
Coleman Powermate	RPM0535000	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	RPM0545007	5,000	L14-20	Yes	Floating Neutral
Coleman Powermate	RPM05525312	5,000	L14-20	Yes	Floating Neutral
CPE Power Station	40046	5,000	L14-30	Yes	Floating Neutral
Craftsman	580.32561	5,600	L14-30	Yes	Floating Neutral
Craftsman	580.325610	5,600	L14-30	Yes	Floating Neutral
Craftsman	580.32713	3,500	L14-20	Yes	Floating Neutral
Cummins Onan	EGMBD P5450e	5,000	L14-30	Yes	Floating Neutral
Cummins Onan	EGMBE 5270A	5,000	L14-30	Yes	Floating Neutral
Cummins Onan	EGMBE 6500	6,500	L14-30	Yes	Floating Neutral
Cummins Onan	EGMBE P6500	5,500	L14-30	Yes	Floating Neutral
Cummins Onan	EGMDB 5500	5,500	L14-30	Yes	Floating Neutral
Cummins Onan	RPM064700	6,500	L14-30	Yes	Floating Neutral
DEK	5650	5,650	L14-30	Yes	Floating Neutral
DEK	6500	6,500	L14-30	Yes	Floating Neutral
DEK	7550EL	7,550	L14-30	Yes	Floating Neutral
DEK	7550EL	7,550	L14-30	Yes	Floating Neutral
DeVilbiss	PCGT5250WK	5,250	L14-20	Yes	Floating Neutral
DeVilbiss Powerback	GT5000C	5,000	L14-20	Yes	Floating Neutral
DeVilbiss Powerback	GT5000C-1	5,000	L14-20	Yes	Floating Neutral
DeVilbiss Powerback	GT5250-WK-2	5,250	L14-20	Yes	Floating Neutral
DeVilbiss Powerback	GT5251-1	5,250	L14-20	Yes	Floating Neutral
DeWalt	DG4300	3,800	L14-20	Yes	Floating Neutral
DeWalt	DG4400BC	4,400	L14-20	Yes	Floating Neutral
DeWalt	DG6000	5,000	L14-30	Yes	Floating Neutral
DeWalt	DG7000	6,000	L14-30	Yes	Floating Neutral
DeWalt	DG7000B	7,000	L14-30	Yes	Floating Neutral
DeWalt	DWDG4300	3,800	L14-20	Yes	Floating Neutral
DeWalt	DWDG6000	5,000	L14-30	Yes	Floating Neutral
DeWalt	DWDG6000E	5,000	L14-30	Yes	Floating Neutral
DeWalt	DWDG7000	6,000	L14-30	Yes	Floating Neutral
DeWalt	DWDG7000E	6,000	L14-30	Yes	Floating Neutral
Ducar	DF6500H	5,500	L14-30	Yes	Floating Neutral

DuroMax	XP10000E	10,000	L14-30 or 14-50	Yes	Floating Neutral
DuroMax	XP4400E	4,400	L14-30	Yes	Floating Neutral
DuroMax	XP6500E	5,500	L14-30	Yes	Floating Neutral
DuroMax	XP8500E	7,000	L14-30	Yes	Floating Neutral
DuroPower	DP7500DES/RDS	7,500	L14-30	Yes	Floating Neutral
DuroPower	XP4400E	3,500	L14-30	Yes	Floating Neutral
Eastern Tool	DG4LE/DG6LE	3,600	L14-20	Yes	Floating Neutral
Eastern Tools & Equipment	ETQPG60B12	6,000	L14-30	Yes	Floating Neutral
Eastern Tools & Equipment	ETQPG60B12	6,000	L14-30	Yes	Floating Neutral
Energ-G+	LT65500CLE	6,500	L14-30	Yes	Floating Neutral
ETQ	TG60H12	6,000	L14-30	Yes	Floating Neutral
ETQ (Eastern Tools & Equip.)	TG52T42	5,250	L14-30	Yes	Floating Neutral
ETQ (Eastern Tools & Equip.)	TG72B12	7,250	L14-30	Yes	Floating Neutral
Everlast	SP10000E	8,500	L14-30 or 14-50	Yes	Floating Neutral
Generac	1019	7,500	L14-30	Yes	Floating Neutral
Generac	1646	5,550	L14-30	Yes	Floating Neutral
Generac	4451	12,500	L14-30 or 14-50	Yes	Floating Neutral
Generac	55010		Hardwire Only	Yes	Floating Neutral
Generac	55010		Hardwire Only	Yes	Floating Neutral
Generac	005518-1	8,000	Hard Wired Only	Yes	Floating Neutral
Generac	005734-0	15,000	L14-30 and 14-50	Yes	Floating Neutral
Generac	008820-1	10,000	Hard Wired Only	Yes	Floating Neutral
Generac	7000EXL	7,000	L14-30	Yes	Floating Neutral
Generac	9797-3	5,500	L14-30	Yes	Floating Neutral
Generac	BS1339	10,000	L14-30	Yes	Floating Neutral
Generac	BS1654	5,500	L14-30	Yes	Floating Neutral
Generac	BS1669	5,000	L14-20	Yes	Floating Neutral
Generac	BS9777	4,000	L14-20	Yes	Floating Neutral
Generac	BS9801	10,000	L14-30	Yes	Floating Neutral
Generac	MC5500	5,500	L14-30	Yes	Floating Neutral
Generac	PP5000T	5,000	L14-20	Yes	Floating Neutral
Generac	XG10000E	10,000	L14-30 or 14-50	Yes	Floating Neutral
Generac 4000XL	009777-2	4,000	L14-20	Yes	Floating Neutral
Generac 7550EXL	001470-1	7,500	L14-30	Yes	Floating Neutral
Generac GP Series	005622-1	5,000	L14-30	Yes	Floating Neutral
Generac GP Series	005623-1	6,500	L14-30	Yes	Floating Neutral
Generac GP Series	005625-0	7,000	L14-30	Yes	Floating Neutral
Generac GP Series	005626-0	7,000	L14-30	Yes	Floating Neutral
Generac GP Series	005680-0	8,000	L14-30	Yes	Floating Neutral
Generac GP Series	005681-0	8,000	L14-30	Yes	Floating Neutral
Generac GP Series	005693-0	7,000	L14-30	Yes	Floating Neutral
Generac GP Series	005696-0	8,000	L14-30	Yes	Floating Neutral
Generac GP Series	005732-0	5,500	L14-30	Yes	Floating Neutral
Generac GP series	005734-0	15,000	L14-30 or L14-50	Yes	Floating Neutral
Generac GP series	005734-0	15,000	L14-30 or L14-50	Yes	Floating Neutral
Generac GP Series	005736-0	5,500	L14-30	Yes	Floating Neutral
Generac GP Series	005938-0	5,000	L14-30	Yes	Floating Neutral

Generac GP Series	005939-0	5,500	L14-30	Yes	Floating Neutral
Generac GP Series	005940-0	6,500	L14-30	Yes	Floating Neutral
Generac GP Series	005941-0	6,500	L14-30	Yes	Floating Neutral
Generac GP Series	005942-0	7,500	L14-30	Yes	Floating Neutral
Generac GP Series	005943-0	7,500	L14-30	Yes	Floating Neutral
Generac GP15000E	005734-0	15,000	L14-30 or 14-50	Yes	Floating Neutral
Generac GP5000	005622-0	5,000	L14-30	Yes	Floating Neutral
Generac GP5000	005688-0	5,000	L14-30	Yes	Floating Neutral
Generac GP5500	005690-0	5,500	L14-30	Yes	Floating Neutral
Generac GP6500	005623-0	6,500	L14-30	Yes	Floating Neutral
Generac GP6500	005738-0	6,500	L14-30	Yes	Floating Neutral
Generac GP7500E	005978-0	7,500	L14-30	Yes	Floating Neutral
Generac GP8000	5681	8,000	L14-30	Yes	Floating Neutral
Generac SE5000	1329	2,400	L14-20	Yes	Floating Neutral
Generac SVP 5000	9719-2	5000	L14-20	Yes	Floating Neutral
Generac XG10000E	005802-0	10,000	14-50	Yes	Floating Neutral
Generac XG8000E	005847-0	8,000	L14-30	Yes	Floating Neutral
Generac XP6500E	005605-0	6,500	L14-30	Yes	Floating Neutral
Generac XP8000E	005708-1	8,000	L14-30	Yes	Floating Neutral
Generac XP8000E	006111-0	8,000	L14-30	Yes	Floating Neutral
Generac XP8000E	006111-0	8,000	L14-30	Yes	Floating Neutral
GeneracGP5500	0061100	5,500	L14-30	Yes	Floating Neutral
General Power Products	APP 6000	6,300	L14-30	Yes	Floating Neutral
General Power Products	GEN 6500	6,200	L14-30	Yes	Floating Neutral
Gen-Pro	GPN-125EH	12,500	14-50	Yes	Floating Neutral
Gen-Pro	GPN-75EH		L14-30	Yes	Floating Neutral
Gentron	GG10020	10,000	L14-30	Yes	Floating Neutral
Gentron	GG10020	10,000	L14-30	Yes	Floating Neutral
Gentron	Pro2-3500P	2,800	L14-30	Yes	Floating Neutral
GT-Power	GT6500LDE	5,500	L14-30	Yes	Floating Neutral
Guardian	004582-2	7200/12,000	L14-30 or 14-50	Yes	Floating Neutral
Guardian Ultra Source	4451	12,500	L14-30	Yes	Floating Neutral
Guardian Ultra Source	004451	12,500	L14-30	Yes	Floating Neutral
Guardian Ultra Source	4582	15,000	L14-30	Yes	Floating Neutral
Guardian Ultra Source	004582	15,000	L14-30	Yes	Floating Neutral
Hobart	Champion 10000	9,500	14-50	Yes	Floating Neutral
Hobart	Champion Elite	11000	14-50	Yes	Floating Neutral
Hobart	Champion 10000	9,500	14-50	Yes	Floating Neutral
Homelite	HG3500	3,500	L14-20	Yes	Floating Neutral
Homelite	UT905000P	5,000	L14-20	Yes	Floating Neutral
Homelite	UT905000P	5,000	L14-20	Yes	Floating Neutral
Homelite LR4400	UT03781B	4,000	L14-20	Yes	Floating Neutral
Homelite LR5500	UT03774B	5,000	L14-20	Yes	Floating Neutral
Homelite LRE4400	UT03783B	4,000	L14-20	Yes	Floating Neutral
Homelite LRE5500	UT03775B	5,000	L14-20	Yes	Floating Neutral
Honda	EG3500	3,000	L14-20	Yes	Floating Neutral

Honda	EG4000CL	4,000	L14-20	Yes	Floating Neutral
Honda	EG5000	4,500	L14-30	Yes	Floating Neutral
Honda	EG5000CL	5,000	L14-30	Yes	Floating Neutral
Honda	EG5000XK1	4,500	L14-30	Yes	Floating Neutral
Honda	EG6500CL	6,500	L14-30	Yes	Floating Neutral
Honda	EM3000	2,800	L14-20	Yes	Floating Neutral
Honda	EM3500X	3,000	L14-20	Yes	Floating Neutral
Honda	EM3500XK1	2,800	L14-20	Yes	Floating Neutral
Honda	EM3800S	3,300	L14-30	Yes	Floating Neutral
Honda	EM3800SX	3,800	L14-20	Yes	Floating Neutral
Honda	EM4000	3,800	L14-20	Yes	Floating Neutral
Honda	EM5000IS	4,500	L14-30	Yes	Floating Neutral
Honda	EM5000SX	5,000	L14-30	Yes	Floating Neutral
Honda	EM5000SX	5,000	L14-30	Yes	Floating Neutral
Honda	EM5000SXX3	5,000	L14-30	Yes	Floating Neutral
Honda	EM5000X	4,500	L14-30	Yes	Floating Neutral
Honda	EM6000	5,000	L14-30	Yes	Floating Neutral
Honda	EM6500	6,500	L14-30	Yes	Floating Neutral
Honda	EM6500S	5,500	L14-30	Yes	Floating Neutral
Honda	EM6500SX	5,500	L14-30	Yes	Floating Neutral
Honda	EM6500SXX1A	6,500	L14-30	Yes	Floating Neutral
Honda	EM7000IS	5,500	L14-30	Yes	Floating Neutral
Honda	EMS4500	3,600	L14-20	Yes	Floating Neutral
Honda	ES6500	6,000	L14-30	Yes	Floating Neutral
Honda	ES6500K1	6,000	L14-30	Yes	Floating Neutral
Honda	ES6500K2	6,000	L14-30	Yes	Floating Neutral
Honda	EU6500is	6,500	L14-30	Yes	Floating Neutral
Honda	EU6500iSA	6,500	L14-30	Yes	Floating Neutral
Honda	EX3300S	3,000	L14-20	Yes	Floating Neutral
Honda	EX3300SK1	3,000	L14-20	Yes	Floating Neutral
Honda	EX4500	4,000	L14-30	Yes	Floating Neutral
Honda	EX4500SK1	4,000	L14-30	Yes	Floating Neutral
Honda	EX5500	5,000	L14-30	Yes	Floating Neutral
Honda	EX5500K1	5,000	L14-30	Yes	Floating Neutral
Honda	EX5500K2	5,000	L14-30	Yes	Floating Neutral
Honda	EZ3500	3,000	L14-20	Yes	Floating Neutral
Honda	EZ5000	4,500	L14-20	Yes	Floating Neutral
Honda	PCCH350IS	3,500	L14-20	Yes	Floating Neutral
Honda	PCH1000ISW	10,000	L14-30	Yes	Floating Neutral
Honda	PCH450ISW	4,500	L14-20	Yes	Floating Neutral
Honda	PCH451CSW	4,500	L14-20	Yes	Floating Neutral
Honda	PCH650ISW	6,500	L14-30	Yes	Floating Neutral
Honeywell	60380	7,200	L14-30	Yes	Floating Neutral
Honeywell	60380	7,200	L14-30	Yes	Floating Neutral
Honeywell	60390	7,500	L14-30	Yes	Floating Neutral
Honeywell	HW5000E	5,000	L14-30	Yes	Floating Neutral
Honeywell	HW5000EL	5,000	L14-30	Yes	Floating Neutral

Honeywell	HW5000L	5,000	L14-30	Yes	Floating Neutral
Honeywell	HW5500E	5,500	L14-30	Yes	Floating Neutral
Honeywell	HW5500EL	5,500	L14-30	Yes	Floating Neutral
Honeywell	HW5500L	5,500	L14-30	Yes	Floating Neutral
Honeywell	HW5600C	5,600	L14-30	Yes	Floating Neutral
Honeywell	HW6200	6,000	L14-30	Yes	Floating Neutral
Honeywell	HW7000EH	7,000	L14-30	Yes	Floating Neutral
Honeywell	HW7500E	9,375	L14-30	Yes	Floating Neutral
HotMax	HM8000	6,500	L14-30	Yes	Floating Neutral
Husky	30436	5,000	L14-30	Yes	Floating Neutral
Husky	HU405000	5,000	L14-20	Yes	Floating Neutral
Husky	HUCA5700	5,700	L14-30	Yes	Floating Neutral
Husky	HU5000	5,000	L14-20	Yes	Floating Neutral
Husqvarna	1935	6,500	L14-30	Yes	Floating Neutral
Husqvarna 1365GN	1935	6,500	L14-30	Yes	Floating Neutral
Hyundai	HHD3500	3,000	L14-30	Yes	Floating Neutral
Hyundai	HHD6250	5,500	L14-30	Yes	Floating Neutral
Hyundai	HHD7250	6,500	L14-30	Yes	Floating Neutral
John Deere	550GE	5,500	L14-20	Yes	Floating Neutral
John Deere	AC-G 2500S	2,500	120/240 VAC Twist lock	Yes	Floating Neutral
John Deere	AC-G 3000H	3,000	120/240 VAC Twist lock	Yes	Floating Neutral
John Deere	AC-G 4000H	4,000	120/240 VAC Twist lock	Yes	Floating Neutral
John Deere	AC-G 4000S	4,000	120/240 VAC Twist lock	Yes	Floating Neutral
John Deere	AC-G 5000S	5,000	120/240 VAC Twist lock	Yes	Floating Neutral
John Deere	AC-G 6000H	6,000	120/240 VAC Twist lock	Yes	Floating Neutral
John Deere	AC-G 6000S	6,000	120/240 VAC Twist lock	Yes	Floating Neutral
John Deere	AC-G 7500H	7,500	120/240 VAC Twist lock	Yes	Floating Neutral
John Deere	AC-G 8000S	8,000	120/240 VAC Twist lock	Yes	Floating Neutral
John Deere	AC-G4010H	4,000	L14-20	Yes	Floating Neutral
John Deere	AC-G5010S	5,000	L14-20	Yes	Floating Neutral
John Deere	AC-G6010H	5,000	L14-20	Yes	Floating Neutral
John Deere	AC-G6010HE	5,000	L14-20	Yes	Floating Neutral
John Deere	AC-G6010S	5,000	L14-20	Yes	Floating Neutral
John Deere	AC-G6010SE	5,000	L14-20	Yes	Floating Neutral
John Deere	AC-G7510H	6,500	L14-30	Yes	Floating Neutral
John Deere	AC-G7510HE	6,500	L14-30	Yes	Floating Neutral
John Deere	AC-G8010S	6,900	L14-30	Yes	Floating Neutral
John Deere	AC-G8010SE	6,900	L14-30	Yes	Floating Neutral
John Deere	AG-G4010S	4,000	L14-20	Yes	Floating Neutral
John Deere	HR-G 1100	1,100	120/240 VAC Twist lock	Yes	Floating Neutral
John Deere	HR-G 1700i	1,650	120/240 VAC Twist lock	Yes	Floating Neutral
John Deere	PR-G5500M	4,800	L14-20	Yes	Floating Neutral
John Deere	PR-G7500M	6,500	L14-30	Yes	Floating Neutral
King Canada	KCG-7500G	5,500	L14-30	Yes	Floating Neutral
King Canada	KCG-7501GE	7,500	L14-30	Yes	Floating Neutral
King Canada	KCG-7501GE	7,500	L14-30	Yes	Floating Neutral
King Canada/PowerForce	KCG-6500GE	6,500	L14-30	Yes	Floating Neutral

King Craft	6000	5,000	L14-30	Yes	Floating Neutral
Kingcraft	1705-6000W		L14-30	Yes	Floating Neutral
Kipor	IG6000	5,000	14-50	Yes	Floating Neutral
Kipor	KGE6000THi	6,000	14-50	Yes	Floating Neutral
Kipor	KGE6000Ti	5,000	14-50	Yes	Floating Neutral
Kipor	IG6000	5,000	14-50	Yes	Floating Neutral
Kipor	KGE6000Ti	5,000	14-50	Yes	Floating Neutral
Kohler	12RESL	12,000	Hardwire	Yes	Floating Neutral
Kohler	12RESM1	12,000	Hardwire	Yes	Floating Neutral
Kubota	ARX6500B	4,500	L14-30	Yes	Floating Neutral
Kubota	AV6500-B	4,800	L14-30	Yes	Floating Neutral
Kubota	AV6500-B	4,800	L14-30	Yes	Floating Neutral
Kubota	GL7000	7,000	L14-30	Yes	Floating Neutral
Lifan	ES8000E	8,000	L14-30	Yes	Floating Neutral
Lifan	ES8000E	8,000	L14-30	Yes	Floating Neutral
Lincoln Electric	Commander 500	12,000	14-50	Yes	Floating Neutral
Lincoln Electric	Ranger 8 LPG	8,000	14-50	Yes	Floating Neutral
Magnum	33CSA3024		L14-30	Yes	Floating Neutral
Magnum	33CSA3024		L14-30	Yes	Floating Neutral
Makita	G6100R	5,800	L14-20	Yes	Floating Neutral
Makita	G6101R	5,800	L14-20	Yes	Floating Neutral
Makita	MKG6100R	4,800	L14-20	Yes	Floating Neutral
Makita	MKG6101R	4,800	L14-20	Yes	Floating Neutral
Master	MGH10000	10,000	L14-30	Yes	Floating Neutral
Master	MGH4000C	4,000	L14-20	Yes	Floating Neutral
Master	MGH4000CI	4,000	L14-20	Yes	Floating Neutral
Master	MGH5000C	5,000	L14-20	Yes	Floating Neutral
Master	MGH5000CI	5,000	L14-20	Yes	Floating Neutral
Master	MGH5000CIE	5,000	L14-20	Yes	Floating Neutral
Master	MGH6000C	6,000	L14-20	Yes	Floating Neutral
Master	MGH6000CI	6,000	L14-20	Yes	Floating Neutral
Master	MGH7000C	7,000	L14-30	Yes	Floating Neutral
Master	MGH7000CI	7,000	L14-30	Yes	Floating Neutral
McCulloch	FG5700AK	5,130	L14-30	Yes	Floating Neutral
McCulloch	FG6000MK	6,000	L14-30	Yes	Floating Neutral
McCulloch	FG7000MA	7,800	L14-30	Yes	Floating Neutral
Miller	Bobcat 225	9,500	14-50	Yes	Floating Neutral
Miller	Bobcat 225G	8,000	14-50	Yes	Floating Neutral
Miller	Trailblazer 302 Diesel	9.5	14-50	Yes	Floating Neutral
Miller	Bobcat 225	9,500	14-50	Yes	Floating Neutral
Miller Bobcat	Bobcat 250	10,500	14-50	Yes	Floating Neutral
Miller Trailblazer	Trailblazer 302	9,500	14-50	Yes	Floating Neutral
Mi-T-M Corporation	GEN-6000-0MH0	6,000	L14-20	Yes	Floating Neutral
Mi-T-M Corporation	GEN-6000-0MH0	6,000	L14-20	Yes	Floating Neutral
Mitsubishi	MSMGE12000REU	9,500	L14-30	Yes	Floating Neutral
Mitsubishi	MSMGE4800REU	4,100	L14-30	Yes	Floating Neutral
Mitsubishi	MSMGE4800ROU	4,100	L14-30	Yes	Floating Neutral



Mitsubishi	MSMGE5800REU	5,000	L14-30	Yes	Floating Neutral
Mitsubishi	MSMGE5800ROU	5,000	L14-30	Yes	Floating Neutral
Mitsubishi	MSMGE6700REU	5,800	L14-30	Yes	Floating Neutral
Mitsubishi	MSMGE6700ROU	5,800	L14-30	Yes	Floating Neutral
Multiquip	9700	8,400	L14-30	Yes	Floating Neutral
Multiquip	DA7000SS	7,000	L14-30	Yes	Floating Neutral
Multiquip	DA7000SSA	7,000	L14-30	Yes	Floating Neutral
Multiquip	DA7000SSW	7,000	L14-30	Yes	Floating Neutral
Multiquip	DA7000WGH	7,000	L14-30	Yes	Floating Neutral
Multiquip	GA97HE	9,700	L14-30	Yes	Floating Neutral
Multiquip	GA97HZ	8,400	L14-30	Yes	Floating Neutral
North Star	165606	105,000	L14-30 or 14-50	Yes	Floating Neutral
North Star	165914	6,600	L14-30	Yes	Floating Neutral
North Star	165917	10,000	L14-or 14-50	Yes	Floating Neutral
North Star	165917	10,000	L14-or 14-50	Yes	Floating Neutral
North Star	165923	10,500	L14-30 OR 14-50	Yes	Floating Neutral
North Star	165957	8,000	L14-30	Yes	Floating Neutral
North Star	M165923AB	10500	L14-30 OR 14-50	Yes	Floating Neutral
North Star	M165938Q	6,600	L14-30	Yes	Floating Neutral
North Star PTO	165929	12,000	14-50	Yes	Floating Neutral
North Star PTO	165951	7,200	L14-30	Yes	Floating Neutral
Northern/Northern Tool	10622	6,800	L14-30	Yes	Floating Neutral
Pentagon	PT4400/E	4,400	L14-30	Yes	Floating Neutral
Pentagon	PT4400/E	4,400	L14-30	Yes	Floating Neutral
Porter Cable	BSI525-W	5,250	L14-20	Yes	Floating Neutral
Porter Cable	H1000	10,000	L14-30 or L14-50	Yes	Floating Neutral
Porter-Cable	PCBSI525W	5,250	L14-30	Yes	Floating Neutral
Porter-Cable	PCBSI550W	5,500	L14-30	Yes	Floating Neutral
Porter-Cable	PCBSV750W	7,500	L14-30	Yes	Floating Neutral
Porter-Cable	PCCH350IS	3,500	L14-20	Yes	Floating Neutral
Porter-Cable	PCGT5250WK	5,250	L14-30	Yes	Floating Neutral
Porter-Cable	PCH1000ISW	10,000	L14-30	Yes	Floating Neutral
Porter-Cable	PCH450ISW	4,500	L14-30	Yes	Floating Neutral
Porter-Cable	PCH451CSW	4,500	L14-20	Yes	Floating Neutral
Porter-Cable	PCH650ISW	6,500	L14-30	Yes	Floating Neutral
Poulan Pro	PP4300	4,300	L14-30	Yes	Floating Neutral
Poulan Pro	PP4300	4,300	L14-30	Yes	Floating Neutral
Poulan Pro	PP6600	6,600	L14-30	Yes	Floating Neutral
Poulan Pro	PP6600	6,600	L14-30	Yes	Floating Neutral
Poulan Pro	PP6600E		L14-30	Yes	Floating Neutral
Poulan Pro	PP6600E		L14-30	Yes	Floating Neutral
Poulan Pro	PP7600E	7600	L14-30	Yes	Floating Neutral
Poulan Pro	PP7600E	7600	L14-30	Yes	Floating Neutral
Power Pro	56680	6,800	L14-30	Yes	Floating Neutral
Power Pro	56875	7000	L14-30	Yes	Floating Neutral
Power Train	WCPTG3500EXCSpad	3,500	120/240 VAC Twist lock	Yes	Floating Neutral
Power Train	WCPTG4500XCS	4,500	120/240 VAC Twist lock	Yes	Floating Neutral

Power Train	WCPTG6500EXCSpad	6,500	120/240 VAC Twist lock	Yes	Floating Neutral
PowerBack	GBFE6010	6,000	L14-20	Yes	Floating Neutral
PowerBack	GT5000C	5,000	L14-20	Yes	Floating Neutral
PowerBack	GT5000C-1	5,000	L14-20	Yes	Floating Neutral
PowerBack	GT5250-WK-2	5,250	L14-20	Yes	Floating Neutral
PowerBack	GT5251-1	5,250	L14-20	Yes	Floating Neutral
Powerboss	30217	5,250	L14-30	Yes	Floating Neutral
Powerboss	30217	5,250	L14-30	Yes	Floating Neutral
PowerHorse	166114	7,250	L14-30	Yes	Floating Neutral
Powerhorse	M166112B	3,100	L14-30	Yes	Floating Neutral
PowerLand	PD10000E	10,000	L14-30 or 14-50	Yes	Floating Neutral
Powerland	PD3G10000E	8,000	L14-30 or L14-50	Yes	Floating Neutral
Powerland	PD6500E	6,875	L14-30	Yes	Floating Neutral
Powerland	PD6500E	6,875	L14-30	Yes	Floating Neutral
Powermate	PM0106507	6,500	L14-30	Yes	Floating Neutral
Powermate	PM0497000.02	7,000	L14-30	Yes	Floating Neutral
Powermate	PM0675700	5,700	L14-30	Yes	Floating Neutral
PowerMax	XP10000E	10,000	L14-30 or 14-50	Yes	Floating Neutral
PowerMax	XP4400	4,400	L14-30	Yes	Floating Neutral
Princess Auto	PowerFist 6500	6,500	L14-30	Yes	Floating Neutral
Pro Force	PM0106000	6,000	L14-30	Yes	Floating Neutral
Pro Force	PM0106000	6,000	L14-30	Yes	Floating Neutral
Ranger 10000	IM819-B	10,000	L14-50	Yes	Floating Neutral
RedHawk Electric Generators	ETDG4LE	4,500	L14-30	Yes	Floating Neutral
RedHawk Electric Generators	ETDG4LN	3,600	L14-30	Yes	Floating Neutral
RedHawk Electric Generators	ETDG6LE	6,500	L14-30	Yes	Floating Neutral
RedHawk Electric Generators	ETDG6LN	3,600	L14-30	Yes	Floating Neutral
RedHawk Electric Generators	ETDWG6LER	3,600	L14-20	Yes	Floating Neutral
Ridgid	RD6800	6,800	L14-30	Yes	Floating Neutral
Ridgid	RD680011	6,800	L14-30	Yes	Floating Neutral
Ridgid	RD7000	7,000	L14-30	Yes	Floating Neutral
Ridgid	RD8000	8,000	L14-30	Yes	Floating Neutral
Ridgid	RDCA6800	6,800	L14-30	Yes	Floating Neutral
Ridgid	RDCA7000	7,000	L14-30	Yes	Floating Neutral
Robin Subaru	RGD3300H	3,000	L14-20	Yes	Floating Neutral
Robin Subaru	RGV4100	3,600	L14-20	Yes	Floating Neutral
Robin Subaru	RGV6100	4,800	L14-20	Yes	Floating Neutral
Robin Subaru	RGV6100E	4,800	L14-20	Yes	Floating Neutral
Robin Subaru	RGV7500	6,000	L14-30	Yes	Floating Neutral
Robin Subaru	RGV7500E	6,000	L14-30	Yes	Floating Neutral
Robin Subaru	SGX3500	3,200	L14-20	Yes	Floating Neutral
Sportsman	Gen7000	6,000	L14-30	Yes	Floating Neutral
Stanley	G8000S	8,000	L14-30	Yes	Floating Neutral
Steele	SP-GG600	6,000	L14-30	Yes	Floating Neutral
Steele	SP-GG600	6,000	L14-30	Yes	Floating Neutral
Steele	SP-GG750E	6,000	L14-30	Yes	Floating Neutral
Steele	SP-GG900E	7,500	L14-30	Yes	Floating Neutral

Subaru	SGX5000	4,500	L14-30	Yes	Floating Neutral
SYCAMORE	APX 6	6,000	L14-30	Yes	Floating Neutral
Tahoe	TI 10000LXR	10,000	L14-50	Yes	Floating Neutral
Tahoe	TI 10000LXR	10,000	L14-50	Yes	Floating Neutral
Tahoe Industries	TI9000	9,000	14-50	Yes	Floating Neutral
Titan	TG5500D	4,200	L14-20	Yes	Floating Neutral
Titan	TG8000	7,200	L14-30	Yes	Floating Neutral
Triple-Fuel Honda	3397	13,750	14-50	Yes	Floating Neutral
Troy Built	30341	5,500	L14-30	Yes	Floating Neutral
Troy-Bilt	1919	5,550	L14-30	Yes	Floating Neutral
Troy-Bilt	1924	3,550	L14-20	Yes	Floating Neutral
Troy-Bilt	1925	7,550	L14-30	Yes	Floating Neutral
Troy-Bilt	3245	5,550	L14-30	Yes	Floating Neutral
Troy-Bilt	30237	7,800	L14-30	Yes	Floating Neutral
Troy-Bilt	30247	8,000	L14-30	Yes	Floating Neutral
Troy-Bilt	30431	5,500	L14-30	Yes	Floating Neutral
Troy-Bilt	30477	7,000	L14-30	Yes	Floating Neutral
Troy-Built	030475-0	6,000	L14-30	Yes	Floating Neutral
Troy-Built	030475-0	6,000	L14-30	Yes	Floating Neutral
Troy-Built	30245	5,500	L14-30	Yes	Floating Neutral
True Life	12000	12,000	L14-30	Yes	Floating Neutral
Tsurumi	TPG3-6000HDX	5,000	L14-20 OR L14-30	Yes	Floating Neutral
Tsurumi	TPG-4300H-DX	4,300	L14-20	Yes	Floating Neutral
Tsurumi	TPG-6000H-DX	6,000	L14-20	Yes	Floating Neutral
UST	GG5500	5,500	L14-30	Yes	Floating Neutral
Voltmaster	AR100	9,500	L14-30	Yes	Floating Neutral
Voltmaster	AR100	9,500	L14-30	Yes	Floating Neutral
Voltmaster	LR60EL	5,000	L14-20	Yes	Floating Neutral
Voltmaster	LR60EL	5,000	L14-20	Yes	Floating Neutral
Wallenstein	EC5000	4,500	L14-30	Yes	Floating Neutral
Wallenstein	HUF1222E	12,000	14-50	Yes	Floating Neutral
Wallenstein	HUF1222EA	12,000	14-50	Yes	Floating Neutral
WEN	56351	3,500	L14-20	Yes	Floating Neutral
Winco	HPS12000HE	12,000	L14-30	Yes	Floating Neutral
Winco	HPS12000HE	12,000	L14-30	Yes	Floating Neutral
Winco	HPS6000E	6,000	L14-30	Yes	Floating Neutral
Winco	HPS6000E	6,000	L14-30	Yes	Floating Neutral
Winco	HPS9000E	9,000	L14-30	Yes	Floating Neutral
Winco	HPS9000E	9,000	L14-30	Yes	Floating Neutral
Winco	PSS8B4W	8,000	Hardwire Only	Yes	Floating Neutral
Winco	PSS8B4W	8,000	Hardwire Only	Yes	Floating Neutral
Winco Dya	DL5000H	4,500	L14-30	Yes	Floating Neutral
Winco Dya	DL6000H	5,500	L14-30	Yes	Floating Neutral
Winco Dya	DL6000HE	5,500	L14-30	Yes	Floating Neutral
Winco Dya	DL6000I	5,500	L14-30	Yes	Floating Neutral
Winco Dya	DL6000IE	5,500	L14-30	Yes	Floating Neutral
Winco Dya	DL9000H	8,000	L14-30	Yes	Floating Neutral

Winco Dya	HPS12000HE	10,800	L14-30	Yes	Floating Neutral
Winco Dya	HPS6000E	5,500	L14-30	Yes	Floating Neutral
Winco Dya	HPS9000VE	8,000	L14-30	Yes	Floating Neutral
Winco Dya	WC5000H	4,500	L14-30	Yes	Floating Neutral
Yamaha	Diesel EDL6500S	6,000	L14-30	Yes	Floating Neutral
Yamaha	EF1200DE	9,500	L14-30	Yes	Floating Neutral
Yamaha	EF3800		L14-20	Yes	Floating Neutral
Yamaha	EF4000DE	3,500	L14-20	Yes	Floating Neutral
Yamaha	EF5200DE	4,500	L14-20	Yes	Floating Neutral
Yamaha	EF6200PDEX	5,500	L14-30	Yes	Floating Neutral
Yamaha	EF6300iSDE	5,500	L14-30	Yes	Floating Neutral
Yamaha	EF6600DE	6,000	L14-30	Yes	Floating Neutral
Yamaha	YG4000D	3,500	L14-20	Yes	Floating Neutral
Yamaha	YG5200D	4,500	L14-20	Yes	Floating Neutral
Yamaha	YG6600D	6,000	L14-30	Yes	Floating Neutral
Yamaha	YG6600DE	6,000	L14-30	Yes	Floating Neutral